

# Shape Predicates

15-494 Cognitive Robotics  
David S. Touretzky &  
Ethan Tira-Thompson

Carnegie Mellon  
Spring 2009

# The World is Full of Shapes

- When we extract shapes from camera images, we may get a lot of objects.
- We need ways of selecting and comparing shapes.
  - “Find all the orange things.”
  - “Find all the lines longer than this line.”
- Tekkotsu provides *shape predicates* for testing shapes. These can be composed to form complex tests.
- To use these, you need to understand C++ functors.

# Function Objects (Functors)

A functor is an object that can accept function calls via operator():

```
#include <iostream>
using namespace std;

class MyFunctor {
public:
    void operator() () const { cout << "Foo!" << endl; }
};

int main() {
    MyFunctor fluffy;

    fluffy();
}
```

# Functors Can Store Values

```
class BiggerThan {  
    private:  
        int value;  
  
    public:  
        BiggerThan(int val) : value(val) {}  
  
        bool operator() (int x) const { return x > value; }  
};
```

Private comparison value

Constructor initializes the  
private value

Function call operator  
compares x against the value

# Testing BiggerThan

```
int main() {  
  
    BiggerThan bigtest(5);  
  
    for (int i = 3; i < 8; i++ )  
        cout << i << (bigtest(i) ? " passes" : " fails" ) << endl;  
  
}
```

---

3 fails  
4 fails  
5 fails  
6 passes  
7 passes

# Function Conjunction

```
class AndBigSmall {  
private:  
    BiggerThan bigtest;  
    SmallerThan smalltest;  
  
public:  
    AndBigSmall(BiggerThan b, SmallerThan s) :  
        bigtest(b), smalltest(s) {}  
  
    bool operator() (int x) { return bigtest(x) && smalltest(x); }  
};  
  
int main() {  
    AndBigSmall myconj(BiggerThan(0),SmallerThan(100));  
    for ( int i = -10; i < 150; i+=40 )  
        cout << i << " gives " << myconj(i) << endl;  
}
```

-10 gives 0  
30 gives 1  
70 gives 1  
110 gives 0

# STL functional.h

- The STL (Standard Template Library) provides classes called unary\_function and binary\_function from which functors can be composed.

```
class BiggerThan : unary_function<int,bool> {  
private:  
    int value;  
public:  
    BiggerThan(int val) : value(val) {}  
    bool operator() (int x) { return x > value; }  
};
```

- These user-defined functor classes can then be used with STL functions for searching, etc.
- But they're kind of awkward.

# Shape Predicates

- The Shape classes provide their own functor mechanism for defining shape predicates.
- Easier to use than the generic STL.
- Some predicates for common shape tests are built in, e.g.,
  - Comparing the positions of two shapes (left/right or above/below)
  - Comparing the lengths of two lines
  - Comparing line orientations
- New predicates are easy to define.

# Shape<LineData> Functors

- Compare the lengths of all the pink lines in the image against that of the third line.

```
NEW_SKETCH(camFrame, uchar, sketchFromSeg());  
  
NEW_SKETCH(pink_stuff, bool,  
           visops::colormask(camFrame,"pink"));  
  
NEW_SHAPEVEC(lines, LineData,  
             LineData::extractLines(pink_stuff));  
  
SHAPEVEC_ITERATE(lines, LineData, ln)  
    if ( LineData::LengthLessThan()(ln,lines[2]) )  
        cout << "Shorter: " << ln->getId() << endl;  
    else  
        cout << "Longer: " << ln->getId() << endl;  
END_ITERATE;
```

# LineData::LengthLessThan

- Class-specific shape predicates are defined with the respective shape, e.g., in LineData.h and LineData.cc.

*In LineData.h:*

```
class LengthLessThan : public BinaryShapePred<LineData> {  
public:  
    bool operator() (const Shape<LineData> &ln1,  
                     const Shape<LineData> &ln2) const;  
};
```

*In LineData.cc:*

```
void LineData::LengthLessThan::operator()  
(const Shape<LineData> &line1,  
 const Shape<LineData> &line2) const {  
    return line1->getLength() < line2->getLength(); }
```


# Generic Shape Predicates

- Some predicates work for shapes of any type. They are defined on class ShapeRoot. Example: IsColor.

```
NEW_SHAPEVEC(blobs, BlobData,  
             BlobData::extractBlobs(camFrame,50));  
  
IColor orangetest("orange");  
  
SHAPEVEC_ITERATE(blobs, BlobData, b)  
    if ( orangetest(b) )  
        cout << "Orange: " << b->getId() << endl;  
    else  
        cout << "Not orange: " << b->getId() << endl;  
END_ITERATE;
```

# Subclasses of BaseData:

# Subclasses of ShapeRoot:



# Generic IsColor Predicate

```
class IsColor : public UnaryShapeRootPred {  
private:  
    rgb color;  
  
public:  
    IsColor(rgb col) : UnaryShapeRootPred(), color(col) {}  
  
    IsColor(std::string const &colorname) :  
        UnaryShapeRootPred(),  
        color(ProjectInterface::getColorRGB(colorname)) {}  
  
    bool operator() (const ShapeRoot &shape) const {  
        return shape->getColor() == color; }  
};
```

Note: the colorname string is looked up once, by the constructor, and the rgb value is stored in the private variable color. When the functor is invoked on a ShapeRoot, no lookup is necessary.

# IsLeftOf / IsLeftOfThis

- IsLeftOf()
  - This is a BinaryShapeRootPred that requires two arguments, and compares their centroids:

IsLeftOf() (line2,blob6)

- IsLeftOfThis(x)
  - This is a UnaryShapeRootPred that requires one argument:

IsLeftofThis(line2) (blob6)

constructor      argument

# Using IsLeftOfThis

- An instance of IsLeftOfThis stores a ShapeRoot inside it, and uses it for comparison tests.

```
IsLeftOfThis mytest(lines[4]);
```

```
SHAPEVEC_ITERATE(lines, LineData, ln)
    if ( mytest(ln) )
        cout << "This is left of me: "
            << ln->getId() << endl;
END_ITERATE;
```

# Built-In Shape Predicates

ShapeRoot:

IsColor  
IsType  
IsName

IsLeftOf / IsRightOf

IsAbove / IsBelow

IsLeftOfThis ...

IsAboveThis ...

Shape<LineData>:

LengthLessThan  
IsHorizontal  
IsVertical

ParallelTest  
PerpendicularTest  
ColinearTest

# AndPred / OrPred

- Because shape predicates are classes, we can compose them using the functors AndPred and OrPred.

```
SHAPEVEC_ITERATE(lines, LineData, ln)
    if ( AndPred(IsColor("pink"),
                  IsLeftOfThis(lines[3])) (ln) )
        cout << "winner: " << ln->getId() << endl;
    else
        cout << "loser: " << ln->getId() << endl;
END_ITERATE;
```

- We are composing two unary predicates, so the result is also a unary predicate: it takes **one argument**.

# Vectors of ShapeRoots

- `camShS.allShapes()` returns all the shapes in the shape space, as a `std::vector<ShapeRoot>`.
- `camShS` will be automatically coerced to `std::vector<ShapeRoot>` by an implicit call to `allShapes()`
- Use `SHAPEROOTVEC_ITERATE(vec,var)` to iterate:

```
SHAPEROOTVEC_ITERATE(camShS, s)
    if ( OrPred(IsType(blobDataType),
                 IsType(lineDataType)) (s) )
        cout << "Is blob or line: " << s->getId() << endl;
END_ITERATE;
```

- Shape type constants like `blobDataType` are defined in `ShapeTypes.h`

# Inside SHAPEVEC\_ITERATE

```
SHAPEVEC_ITERATE(lines, LineData, ln)
    do_something_with(ln);
END_ITERATE;
```

Expands into:

```
for ( vector<Shape<LineData> >::iterator ln_it = lines.begin();
      ln_it != lines.end(); ln_it++ ) {
    Shape<LineData> &ln = *ln_it;
    do_something_with(ln);
}
```

# Mirroring STL Search Functions

- The STL provides a collection of functions for searching through a vector using either a binary comparison predicate or a unary test predicate.
- Tekkotsu provides similar functions for shape predicates:
  - `find_if`, `subset`, `max_element`, `stable_sort`, `remove_copy_if`
- There are also some new functions unique to shapes:
  - `find_shape`, `select_type`
- All are defined in `DualCoding/ShapeFuns.h`

# Filtering Shapes

- Find the first blob:

```
NEW_SHAPE(blob0, BlobData, find_if<BlobData>(camShS));
```

- camShS is treated as shorthand for camShS.allShapes()
- If no blobs found, an invalid Shape is returned
- Find all the blobs:

```
NEW_SHAPE_VEC(all_blobs, BlobData,  
              select_type<BlobData>(camShS));
```

# More Filtering and Searching

- Find all the orange blobs:

```
NEW_SHAPEVEC(orange_blobs, BlobData,  
subset(all_blobs, IsColor("orange")))
```

- Find the longest line:

```
NEW_SHAPE(longest, LineData,  
max_element(lines,  
LineData::LengthLessThan()))
```

- Test is “less than”, but max\_element returns *longest*.

# Implementing max\_element

```
// from DualCoding/ShapeFuns.h

template<class T, typename ComparisonType>
Shape<T> max_element(const vector<Shape<T> > &vec,
                      ComparisonType comp) {

    typename vector<Shape<T> >::const_iterator result =
        max_element(vec.begin(), vec.end(), comp);

    if ( result != vec.end() )
        return *result;
    else
        return Shape<T>();
}

If no elements, return
an invalid shape.
```

T = LineData

ComparisonType = LengthLessThan

vec is a SHAPEVEC of LineData

comp is an instance of  
LengthLessThan

# Functors for Negating a Predicate

- Use `not1(pred)` to negate a unary predicate:

```
NEW_SHAPER00TVEC(non_orange,  
subset(camShS, not1(IsColor("orange"))));
```

- Use `not2(pred)` to negate a binary (comparison) predicate:

```
NEW_SHAPEVEC(shortlines, LineData,  
stable_sort(lines, not2(LineData::LengthLessThan())));
```

# Nested Iteration: Compare Lines, Longest First

```
NEW_SHAPEVEC(lines, LineData, select_type<LineData>(camShS));

lines = stable_sort(lines, not2(LineData::LengthLessThan()));

SHAPEVEC_ITERATE(lines, LineData, ln1)
    SHAPENEXT_ITERATE(lines, LineData, ln1, ln2)
        if ( LineData::ParallelTest()(ln1,ln2) )
            cout << ln1 << " parallel to " << ln2 << endl;
        if ( LineData::PerpendicularTest()(ln1,ln2) )
            cout << ln1 << " perpendicular to " << ln2 << endl;
        if ( LineData::ColinearTest()(ln1,ln2) )
            cout << ln1 << " colinear with " << ln2 << endl;
    END_ITERATE;
END_ITERATE;
```

---

Shape<LineData>(id=10002,indx=1) perpendicular to  
Shape<LineData>(id=10005,indx=4)  
... etc.