

15-213

“The course that gives CMU its Zip!”

## Code Optimization I Feb. 12, 2008

### Topics

- Machine-Independent Optimizations
  - Basic optimizations
  - Optimization blockers

class09.ppt

## Harsh Reality

*There's more to performance than asymptotic complexity*

### Constant factors matter too!

- Easily see 10:1 performance range depending on how code is written
- Must optimize at multiple levels:
  - algorithm, data representations, procedures, and loops

### Must understand system to optimize performance

- How programs are compiled and executed
- How to measure program performance and identify bottlenecks
- How to improve performance without destroying code modularity and generality

- 2 -

15-213, S'08

## Optimizing Compilers

### Provide efficient mapping of program to machine

- register allocation
- code selection and ordering (scheduling)
- dead code elimination
- eliminating minor inefficiencies

### Don't (usually) improve asymptotic efficiency

- up to programmer to select best overall algorithm
- big-O savings are (often) more important than constant factors
  - but constant factors also matter

### Have difficulty overcoming “optimization blockers”

- potential memory aliasing
- potential procedure side-effects

- 3 -

15-213, S'08

## Limitations of Optimizing Compilers

### Operate under fundamental constraint

- Must not cause any change in program behavior under any possible condition
- Often prevents it from making optimizations when would only affect behavior under pathological conditions.

### Behavior that may be obvious to the programmer can be obfuscated by languages and coding styles

- e.g., Data ranges may be more limited than variable types suggest

### Most analysis is performed only within procedures

- Whole-program analysis is too expensive in most cases

### Most analysis is based only on *static* information

- Compiler has difficulty anticipating run-time inputs

**When in doubt, the compiler must be conservative**

- 4 -

15-213, S'08

# Machine-Independent Optimizations

Optimizations that you or the compiler should do regardless of processor / compiler

## Code Motion

- Reduce frequency with which computation performed
  - If it will always produce same result
  - Especially moving code out of loop

```
void set_row(double *a, double *b,
            long i, long n)
{
    long j;
    for (j = 0; j < n; j++)
        a[n*i+j] = b[j];
}
```

```
long j;
int ni = n*i;
for (j = 0; j < n; j++)
    a[ni+j] = b[j];
```

# Compiler-Generated Code Motion

```
void set_row(double *a, double *b,
            long i, long n)
{
    long j;
    for (j = 0; j < n; j++)
        a[n*i+j] = b[j];
}
```

```
long j;
long ni = n*i;
double *rowp = a+ni;
for (j = 0; j < n; j++)
    *rowp++ = b[j];
```

Where are the FP operations?

```
set_row:
    xorl    %r8d, %r8d      # j = 0
    cmpq   %rcx, %r8      # j:n
    jge    .L7            # if >= goto done
    movq   %rcx, %rax      # n
    imulq  %rdx, %rax      # n*i outside of inner loop
    leaq   (%rdi,%rax,8), %rdx # rowp = A + n*i*8
.L5:
    movq   (%rsi,%r8,8), %rax # t = b[j]
    incq   %r8            # j++
    movq   %rax, (%rdx)    # *rowp = t
    addq   $8, %rdx       # rowp++
    cmpq   %rcx, %r8      # j:n
    jl     .L5            # if < goto loop
.L7:
    rep ; ret             # return
```

# Reduction in Strength

- Replace costly operation with simpler one
- Shift, add instead of multiply or divide
  - Utility machine dependent
  - Depends on cost of multiply or divide instruction
  - On Pentium IV, integer multiply requires 10 CPU cycles
- Recognize sequence of products

16\*x --> x << 4

```
for (i = 0; i < n; i++)
    for (j = 0; j < n; j++)
        a[n*i + j] = b[j];
```

```
int ni = 0;
for (i = 0; i < n; i++) {
    for (j = 0; j < n; j++)
        a[ni + j] = b[j];
    ni += n;
}
```

# Share Common Subexpressions

- Reuse portions of expressions
- Compilers often not very sophisticated in exploiting arithmetic properties

```
/* Sum neighbors of i,j */
up = val[(i-1)*n + j ];
down = val[(i+1)*n + j ];
left = val[i*n + j-1];
right = val[i*n + j+1];
sum = up + down + left + right;
```

```
int inj = i*n + j;
up = val[inj - n];
down = val[inj + n];
left = val[inj - 1];
right = val[inj + 1];
sum = up + down + left + right;
```

3 multiplications: i\*n, (i-1)\*n, (i+1)\*n

1 multiplication: i\*n

```
leaq 1(%rsi), %rax # i+1
leaq -1(%rsi), %r8 # i-1
imulq %rcx, %rsi # i*n
imulq %rcx, %rax # (i+1)*n
imulq %rcx, %r8 # (i-1)*n
addq %rdx, %rsi # i*n+j
addq %rdx, %rax # (i+1)*n+j
addq %rdx, %r8 # (i-1)*n+j
```

```
imulq %rcx, %rsi # i*n
addq %rdx, %rsi # i*n+j
movq %rsi, %rax # i*n+j
subq %rcx, %rax # i*n+j-n
leaq (%rsi,%rcx), %rcx # i*n+j+n
```

# Optimization Blocker #1: Procedure Calls


## Procedure to Convert String to Lower Case

```
void lower(char *s)
{
    int i;
    for (i = 0; i < strlen(s); i++)
        if (s[i] >= 'A' && s[i] <= 'Z')
            s[i] -= ('A' - 'a');
}
```

- Extracted from 213 lab submissions, Fall, 1998

# Lower Case Conversion Performance

- Time quadruples when double string length
- Quadratic performance



# Convert Loop To Goto Form

```
void lower(char *s)
{
    int i = 0;
    if (i >= strlen(s))
        goto done;
loop:
    if (s[i] >= 'A' && s[i] <= 'Z')
        s[i] -= ('A' - 'a');
    i++;
    if (i < strlen(s))
        goto loop;
done:
}
```

- `strlen` executed every iteration

# Calling Strlen

```
/* My version of strlen */
size_t strlen(const char *s)
{
    size_t length = 0;
    while (*s != '\0') {
        s++;
        length++;
    }
    return length;
}
```

## Strlen performance

- Only way to determine length of string is to scan its entire length, looking for null character.

## Overall performance, string of length N

- N calls to `strlen`
- Require times N, N-1, N-2, ..., 1
- Overall  $O(N^2)$  performance


## Improving Performance

```
void lower(char *s)
{
    int i;
    int len = strlen(s);
    for (i = 0; i < len; i++)
        if (s[i] >= 'A' && s[i] <= 'Z')
            s[i] -= ('A' - 'a');
}
```

- Move call to `strlen` outside of loop
- Since result does not change from one iteration to another
- Form of code motion

## Lower Case Conversion Performance

- Time doubles when double string length
- Linear performance of `lower2`



## Optimization Blocker: Procedure Calls

*Why couldn't compiler move `strlen` out of inner loop?*

- Procedure may have side effects
  - Alters global state each time called
- Function may not return same value for given arguments
  - Depends on other parts of global state
  - Procedure `lower` could interact with `strlen`

### Warning:

- Compiler treats procedure call as a black box
- Weak optimizations near them

### Remedies:

- Use of inline functions
- Do your own code motion

```
int lencnt = 0;
size_t strlen(const char *s)
{
    size_t length = 0;
    while (*s != '\0') {
        s++; length++;
    }
    lencnt += length;
    return length;
}
```

## Memory Matters

```
/* Sum rows is of n X n matrix a
and store in vector b */
void sum_rows1(double *a, double *b, long n) {
    long i, j;
    for (i = 0; i < n; i++) {
        b[i] = 0;
        for (j = 0; j < n; j++)
            b[i] += a[i*n + j];
    }
}
```

```
# sum_rows1 inner loop
.L53:
    addsd  (%rcx), %xmm0      # FP add
    addq   $8, %rcx
    decq   %rax
    movsd  %xmm0, (%rsi,%r8,8) # FP store
    jne   .L53
```

- Code updates `b[i]` on every iteration
- Why couldn't compiler optimize this away?

## Memory Aliasing

```
/* Sum rows is of n X n matrix a
and store in vector b */
void sum_rows1(double *a, double *b, long n) {
    long i, j;
    for (i = 0; i < n; i++) {
        b[i] = 0;
        for (j = 0; j < n; j++)
            b[i] += a[i*n + j];
    }
}
```

```
double A[9] =
{ 0, 1, 2,
  4, 8, 16},
  32, 64, 128};

double B[3] = A+3;

sum_rows1(A, B, 3);
```

Value of B:

```
init: [4, 8, 16]
```

```
i = 0: [3, 8, 16]
```

```
i = 1: [3, 22, 16]
```

```
i = 2: [3, 22, 224]
```

- Code updates `b[i]` on every iteration
- Must consider possibility that these updates will affect program behavior

- 17 -

15-213, S'08

## Removing Aliasing

```
/* Sum rows is of n X n matrix a
and store in vector b */
void sum_rows2(double *a, double *b, long n) {
    long i, j;
    for (i = 0; i < n; i++) {
        double val = 0;
        for (j = 0; j < n; j++)
            val += a[i*n + j];
        b[i] = val;
    }
}
```

```
# sum_rows2 inner loop
.L66:
    addsd    (%rcx), %xmm0 # FP Add
    addq    $8, %rcx
    decq    %rax
    jne     .L66
```

- No need to store intermediate results

- 18 -

15-213, S'08

## Unaliased Version

```
/* Sum rows is of n X n matrix a
and store in vector b */
void sum_rows2(double *a, double *b, long n) {
    long i, j;
    for (i = 0; i < n; i++) {
        double val = 0;
        for (j = 0; j < n; j++)
            val += a[i*n + j];
        b[i] = val;
    }
}
```

```
double A[9] =
{ 0, 1, 2,
  4, 8, 16},
  32, 64, 128};

double B[3] = A+3;

sum_rows1(A, B, 3);
```

Value of B:

```
init: [4, 8, 16]
```

```
i = 0: [3, 8, 16]
```

```
i = 1: [3, 27, 16]
```

```
i = 2: [3, 27, 224]
```

- Aliasing still creates interference

- 19 -

15-213, S'08

## Optimization Blocker: Memory Aliasing

### Aliasing

- Two different memory references specify single location
- Easy to have happen in C
  - Since allowed to do address arithmetic
  - Direct access to storage structures
- Get in habit of introducing local variables
  - Accumulating within loops
  - **Your way of telling compiler not to check for aliasing**

- 20 -

15-213, S'08

# Machine-Independent Opt. Summary

## Code Motion

- Compilers are good at this for simple loop/array structures
- Don't do well in the presence of procedure calls and memory aliasing

## Reduction in Strength

- Shift, add instead of multiply or divide
  - *Compilers are (generally) good at this*
  - *Exact trade-offs machine-dependent*
- Keep data in registers (local variables) rather than memory
  - *Compilers are not good at this, since concerned with aliasing*
  - *Compilers do know how to allocate registers (no need for register declaration)*

## Share Common Subexpressions

- Compilers have limited algebraic reasoning capabilities