

## Lecture 12

### Region-Based Analysis


- I. Basic Idea
- II. Algorithm
- III. Optimization and Complexity
- IV. Comparing region-based analysis with iterative algorithms

Reading: ALSU 9.7

### Motivation for Studying Region-Based Analysis

- Exploit the structure of block-structured programs in data flow
- Tie in several concepts studied:
  - Use of structure in induction variables, loop invariant
    - motivated by nature of the problem
    - [This lecture: can we use structure for speed?](#)
  - Iterative algorithm for data flow
    - [This lecture: an alternative algorithm](#)
  - Reducibility
    - all retreating edges of DFST are back edges
    - reducible graphs converge quickly
    - [This lecture: algorithm exploits & requires reducibility](#)
- Usefulness in practice
  - Faster for “harder” analyses
  - Useful for analyses related to structure
- Theoretically interesting: better understanding of data flow

### I. Big Picture



### Basic Idea

- **In Iterative Analysis:**
  - DEFINITION: Transfer function  $F_B$ :  
summarize effect from beginning to end of basic block B
- **In Region-Based Analysis:**
  - DEFINITION: Transfer function  $F_{R,B}$ :  
summarize effect from beginning of R to end of basic block B
  - Recursively
    - construct a larger region R from smaller regions
    - construct  $F_{R,B}$  from transfer functions for smaller regions
    - until the program is one region
  - Let P be the region for the entire program, and v be initial value at entry node
    - $out[B] = F_{P,B}(v)$
    - $in[B] = \bigwedge_{B'} out[B']$ , where B' is a predecessor of B

## II. Algorithm

1. Operations on transfer functions
2. How to build nested regions?
3. How to construct transfer functions that correspond to the larger regions?


## 1. Operations on Transfer Functions

- **Example: Reaching Definitions**
- $F(x) = \text{Gen} \cup (x - \text{Kill})$
- $F_2(F_1(x)) = \text{Gen}_2 \cup (F_1(x) - \text{Kill}_2)$   
 $= \text{Gen}_2 \cup (\text{Gen}_1 \cup (x - \text{Kill}_1)) - \text{Kill}_2$   
 $= \text{Gen}_2 \cup (\text{Gen}_1 - \text{Kill}_2) \cup (x - (\text{Kill}_1 \cup \text{Kill}_2))$
- $F_1(x) \wedge F_2(x) = \text{Gen}_1 \cup (x - \text{Kill}_1) \cup \text{Gen}_2 \cup (x - \text{Kill}_2)$   
 $= (\text{Gen}_1 \cup \text{Gen}_2) \cup (x - (\text{Kill}_1 \cap \text{Kill}_2))$
- $F^*(x) \leq F^n(x), \forall n \geq 0$   
 $= x \cup F(x) \cup F(F(x)) \cup \dots$   
 $= x \cup (\text{Gen} \cup (x - \text{Kill})) \cup (\text{Gen} \cup ((\text{Gen} \cup (x - \text{Kill})) - \text{Kill})) \cup \dots$   
 $= \text{Gen} \cup (x - \emptyset)$

## 2. Structure of Nested Regions (An Example)

- A **region** in a flow graph is a set of nodes that
  - includes a **header**, which **dominates all other nodes in a region**
- **T1-T2 rule (Hecht & Ullman)**
  - **T1: Remove a loop**  
If  $n$  is a node with a **loop**, i.e. an **edge  $n \rightarrow n$** , **delete that edge**
  - **T2: Remove a vertex**  
If there is a node  $n$  that has a **unique predecessor,  $m$** , then  $m$  may consume  $n$  by **deleting  $n$**  and making **all successors of  $n$  be successors of  $m$** .

## Example



- In reduced graph:
  - each **vertex** represents a **subgraph of original graph (a region)**.
  - each **edge** represents an **edge in original graph**
- **Limit flow graph**: result of **exhaustive application of T1 and T2**
  - independent of order of application.
  - if limit flow graph has a **single vertex**  $\rightarrow$  **reducible**
- Can define larger regions (e.g. Allen&Cocke's intervals)
  - simple regions  $\rightarrow$  simple composition rules for transfer functions

### 3. Transfer Functions for T2 Rule

- Transfer function**
- $F_{R,B}$ : summarizes the effect from **beginning of R to end of B**
- $F_{R,in(H2)}$ : summarizes the effect from **beginning of R to beginning of H2**
  - Unchanged for blocks B in region  $R_1$  ( $F_{R,B} = F_{R1,B}$ )
  - $F_{R,in(H2)} = \Lambda_p F_{R,p}$ , where p is a predecessor of  $H_2$
  - For blocks B in region  $R_2$ :  $F_{R,B} = F_{R2,B} \cdot F_{R,in(H2)}$

15-745: Region-Based Analysis
9
Carnegie Mellon
Todd C. Mowry

### Transfer Functions for T1 Rule

- Transfer Function  $F_{R,B}$** 
  - $F_{R,in(H)} = (\Lambda_p F_{R1,p})^*$ , where p is a predecessor of H in R
  - $F_{R,B} = F_{R1,B} \cdot F_{R,in(H)}$

15-745: Region-Based Analysis
10
Carnegie Mellon
Todd C. Mowry

### First Example

R	$T_u/T_d$	R'	$F_{R,in(R')}$	$F_{R,B1}$	$F_{R,B2}$	$F_{R,B3}$	$F_{R,B4}$
$R_1$	$T_2$	$B_2$	...	...			
$R_2$	$T_2$	$R_1$					
$R_3$	$T_1$	$R_2$					
$R_4$	$T_2$	$B_4$					

- $R$ : region name
- $R'$ : region whose header will be subsumed

15-745: Region-Based Analysis
11
Carnegie Mellon
Todd C. Mowry


### First Example

R	$T_u/T_d$	R'	$F_{R,in(R')}$	$F_{R,B1}$	$F_{R,B2}$	$F_{R,B3}$	$F_{R,B4}$
$R_1$	$T_2$	$B_2$	$F_{B1}$	$F_{B1}$	$F_{B2} \cdot F_{R1,in(B2)}$		
$R_2$	$T_2$	$R_1$	$F_{B3}$	$F_{R1,B1} \cdot F_{R2,in(R1)}$	$F_{R1,B2} \cdot F_{R2,in(R1)}$	$F_{B3}$	
$R_3$	$T_1$	$R_2$	$(F_{R2B1} \cdot \Lambda F_{R2B2})^*$	$F_{R2,B1} \cdot F_{R3,in(R2)}$	$F_{R2,B2} \cdot F_{R3,in(R2)}$	$F_{R2,B3} \cdot F_{R3,in(R2)}$	
$R_4$	$T_2$	$B_4$	$F_{R3B3} \cdot \Lambda F_{R3B2}$	$F_{R3,B1}$	$F_{R3,B2}$	$F_{R3,B3}$	$F_{B4} \cdot F_{R4,in(B4)}$

- $R$ : region name
- $R'$ : region whose header will be subsumed

15-745: Region-Based Analysis
12
Carnegie Mellon
Todd C. Mowry


### III. Complexity of Algorithm



R	$T_u/T_s$	$R'$	$F_{R,in(R')}$	$F_{R,B1}$	$F_{R,B2}$	$F_{R,B3}$	$F_{R,B4}$	$F_{R,B5}$
$R_1$	$T_2$	$B_2$	$F_{B2}$	$F_{B1} \cdot F_{B2}$	$F_{B2}$			
$R_2$	$T_2$	$R_1$	$F_{B3}$	$F_{R1,B1} \cdot F_{B3}$	$F_{R1,B2} \cdot F_{B3}$	$F_{B3}$		
$R_3$	$T_2$	$R_2$	$F_{B4}$	$F_{R2,B1} \cdot F_{B4}$	$F_{R2,B2} \cdot F_{B4}$	$F_{R2,B3} \cdot F_{B4}$	$F_{B4}$	
$R_4$	$T_2$	$R_3$	$F_{B5}$	$F_{R3,B1} \cdot F_{B5}$	$F_{R3,B2} \cdot F_{B5}$	$F_{R3,B3} \cdot F_{B5}$	$F_{B4} \cdot F_{B5}$	$F_{B5}$

R	$F_{R4,in(R)}$
$R_4$	1
$R_3$	$F_{B5} \cdot F_{R4,in(R4)}$
$R_2$	$F_{B4} \cdot F_{R4,in(R3)}$
$R_1$	$F_{B3} \cdot F_{R4,in(R2)}$
$B_1$	$F_{B2} \cdot F_{R4,in(R1)}$


B	$F_{R4,B}$
$B_5$	$F_{B5} \cdot 1$
$B_4$	$F_{B4} \cdot F_{R4,in(R3)}$
$B_3$	$F_{B3} \cdot F_{R4,in(R2)}$
$B_2$	$F_{B2} \cdot F_{R4,in(R1)}$
$B_1$	$F_{B1} \cdot F_{R4,in(R1)}$



### Optimization

- Let  $m$  = number of edges,  $n$  = number of nodes
- Ideas for optimization
  - If we compute  $F_{R,B}$  for every region B is in, then it is very expensive
  - We are ultimately only interested in the entire region (E); we need to compute only  $F_{E,B}$  for every B.
    - There are many common subexpressions between  $F_{E,B1}, F_{E,B2}, \dots$
    - Number of  $F_{E,B}$  calculated =  $m$
  - Also, we need to compute  $F_{R,in(R')}$  where  $R'$  represents the region whose header is subsumed.
    - Number of  $F_{R,B}$  calculated, where R is not final =  $n$
- Total number of  $F_{R,B}$  calculated:  $(m + n)$ 
  - Data structure keeps "header" relationship
    - Practical algorithm:  $O(m \log n)$
    - Complexity:  $O(m\alpha(m,n))$ ,  $\alpha$  is inverse Ackermann function

### Reducibility



- If no  $T1, T2$  is applicable before graph is reduced to single node, then split node and continue
- Worst case: exponential
- Most graphs (including GOTO programs) are reducible

### IV. Comparison with Iterative Data Flow

- Applicability
  - Definitions of  $F^*$  can make technique more powerful than iterative algorithms
  - Backward flow: reverse graph is not typically reducible.
    - Requires more effort to adapt to backward flow than iterative algorithm
  - More important for interprocedural optimization
- Speed
  - Irreducible graphs
    - Iterative algorithm can process irreducible parts uniformly
    - Serious "irreducibility" can be slow with region-based analysis
  - Reducible graph & Cycles do not add information (common)
    - Iterative: (depth + 2) passes
    - depth is 2.75 average, independent of code length
    - Region-based analysis: Theoretically almost linear, typically  $O(m \log n)$
  - Reducible & Cycles add information
    - Iterative takes longer to converge
    - Region-based analysis remains the same