

Suppose we are given an **NP**-complete problem to solve. Even though (assuming  $\mathbf{P} \neq \mathbf{NP}$ ) we can't hope for a polynomial-time algorithm that always gets the best solution, can we

- (a) get faster (though still exponential-time) algorithms than the naïve solutions?
- (b) get polynomial-time algorithms that always produce a “pretty good” solution? (A.k.a. *approximation algorithms*)

Today we consider such approaches for several problems. Specific topics in this lecture include:

- A faster-than- $O(n^k)$  time algorithm for exact vertex cover when  $k$  is small.
- 2-approximation for vertex cover via greedy matchings.
- 2-approximation for vertex cover via LP rounding.
- Greedy  $O(\log n)$  approximation for set-cover.

## 1 Introduction

Suppose we are given a problem for which (perhaps because it is **NP**-complete) we can't hope for a fast algorithm that always gets the best solution. We can't just throw our hands in the air and say “We can't do anything!” Or even, “We can't do anything other than the trivial solution!”. We should do something smart if possible. And there are (at least) two ways of being smart.

- The first approach is to try and find a faster algorithm than the naïve one. There are a bunch of ideas that you can use for this, often related to dynamic programming — today we'll talk about one of them.<sup>1</sup>
- The second approach is to try get a fast algorithm that guarantees to get at least a “pretty good” solution? E.g., can we guarantee to find a solution that's within 10% of optimal? If not that, then how about within a factor of 2 of optimal? Or, anything non-trivial?

As seen in the last two lectures, the class of **NP**-complete problems are all equivalent in the sense that a polynomial-time algorithm to solve any one of them would imply a polynomial-time algorithm to solve all of them (and, moreover, to solve any problem in **NP**). However, the difficulty of getting faster exact algorithms, or good approximations to these problems varies quite a bit. In this lecture we will examine several important **NP**-complete problems and look at to what extent we can achieve both goals above.

## 2 Vertex Cover


Recall that a *vertex cover* in a graph is a set of vertices such that every edge is incident to (touches) at least one of them. The vertex cover problem is to find the smallest such set of vertices.

---


<sup>1</sup>You already saw an example: in Lecture II on Dynamic programming, we gave an algorithm for TSP that ran in time  $O(n^2 2^n)$ , which is much faster than the trivial  $O(n \cdot n!) \geq n^{n/2}$  time algorithm.

**Definition 1** VERTEX-COVER: *Given a graph  $G$ , find the smallest set of vertices such that every edge is incident to at least one of them. Decision problem: “Given  $G$  and integer  $k$ , does  $G$  contain a vertex cover of size  $\leq k$ ?”*

For instance, this problem is like asking: what is the fewest number of guards we need to place in a museum in order to cover all the corridors.



**Exercise:** Find a vertex cover in the graphs above of size 3. Show that there is no vertex cover of size 2 in them.



**Exercise:** Find a vertex cover in the graph above of size 2. Show that there is no vertex cover of size 1 in this graph.

As we saw last time (via a reduction from INDEPENDENT SET), this problem is **NP**-hard.

## 2.1 Faster Exact Algorithms

To solve the decision version of the vertex cover problem, here’s the trivial algorithm taking about  $n^k$  time.

Iterate over all subsets  $S \subseteq V$  of size  $k$ .  
 If  $S$  is a vertex cover, output YES and stop.  
 output NO.

How can you do better? Here’s one cool way to do it:

**Theorem 2** *Given  $G = (V, E)$  and  $k \leq n = |V|$ , we can output (in time  $\text{poly}(n)$ ) another graph  $H$  with at most  $2k^2$  vertices, and an integer  $k_H \leq k$  such that:*

$$(G, k) \text{ is a YES-instance} \iff (H, k_H) \text{ is a YES-instance} .$$

Since  $H$  is so much smaller, we can use the trivial algorithm above on  $(H, k')$  to run in time

$$|V(H)|^{k'} \leq (2k^2)^k \leq 2^{k(2 \lg k + 1)} .$$

Hence solve the problem on  $(G, k)$  in the time it takes to produce  $H$  (which is  $\text{poly}(n)$ ), plus about  $2^{2k \lg k}$  time. Much faster than  $n^k$  when  $k \ll \sqrt{n}$ .

It remains to prove Theorem 2.

**Proof:** Here's a simple observation: suppose  $G$  has an isolated vertex  $v$ , i.e., there are no edges hitting  $v$ . Then

$$(G, k) \text{ is a YES-instance} \iff (G - \{v\}, k) \text{ is a YES-instance} .$$

The second observation: suppose  $G$  has a vertex  $v$  of degree at least  $k + 1$ . Then  $v$  *must be* in any vertex cover of size  $k$ . Why? If not, these  $k + 1$  edges incident to  $v$  would have to be covered by their other endpoints, which would require  $k + 1$  vertices. So

$$(G, k) \text{ is a YES-instance} \iff (G - \{v\}, k - 1) \text{ is a YES-instance} .$$

(In this step,  $G - \{v\}$  removes these edges incident to  $v$  as well.)

And the final observation: if  $G$  has maximum degree  $k$  and has a vertex cover of size at most  $k$ ,  $G$  has at most  $k^2$  edges. Why? Each of the vertices in the cover can cover at most  $k$  edges (their degree is at most  $k$ ).

So now the construction of  $H$  is easy: start with  $G$ . Keep dropping isolated vertices (without changing  $k$ ), or dropping high-degree vertices (and decrementing  $k$ ) until you have some graph  $G'$  and parameter  $k'$ . By the first two observations,

$$(G, k) \text{ is a YES-instance} \iff (G', k') \text{ is a YES-instance} .$$

Now either  $G'$  has more than  $(k')^2$  edges, then by the final observation  $(G', k')$  is a NO-instance, so then let  $H$  be a single edge and  $k_H = 0$  (which is also a NO-instance.) Else return  $H = G'$  and  $k_H = k'$ . Since  $H$  has  $(k')^2 \leq k^2$  edges, it has at most  $2k^2$  nodes.

Finally, the time to produce  $H$ ? You can do all the above in linear time in  $G$ . ■

## 2.2 Poly-time Algorithms that Output Approximate Solutions

OK, we don't expect to find the optimal solution in poly-time. However, any graph  $G$  we *can* get within a factor of 2 (or better). That is, if the graph  $G$  has a vertex cover of size  $k^*$ , we can return a vertex cover of size at most  $2k^*$ .

Let's start first, though, with some strategies that *don't* work.

**Strawman Alg #1:** Pick an arbitrary vertex with at least one uncovered edge incident to it, put it into the cover, and repeat.

What would be a bad example for this algorithm? [Answer: how about a star graph]

**Strawman Alg #2:** How about picking the vertex that covers the *most* uncovered edges. This is very natural, but unfortunately it turns out this doesn't work either, and it can produce a solution  $\Omega(\log n)$  times larger than optimal.<sup>2</sup>

---

<sup>2</sup>The bad examples for this algorithm are a bit more complicated however. One such example is as follows. Create a bipartite graph with a set  $S_L$  of  $t$  nodes on the left, and then a collection of sets  $S_{R,1}, S_{R,2}, \dots$  of nodes on the right, where set  $S_{R,i}$  has  $\lfloor t/i \rfloor$  nodes in it. So, overall there are  $n = \Theta(t \log t)$  nodes. We now connect each set  $S_{R,i}$  to  $S_L$  so that each node  $v \in S_{R,i}$  has  $i$  neighbors in  $S_L$  and no two vertices in  $S_{R,i}$  share any neighbors in common (we can do that since  $S_{R,i}$  has at most  $t/i$  nodes). Now, the optimal vertex cover is simply the set  $S_L$  of size  $t$ , but this greedy algorithm might first choose  $S_{R,t}$  then  $S_{R,t-1}$ , and so on down to  $S_{R,1}$ , finding a cover of total size  $n - t$ . Of course, the fact that the bad cases are complicated means this algorithm might not be so bad in practice.

How can we get factor of 2? It turns out there are actually several ways. We will discuss here two quite different algorithms. Interestingly, while we have several algorithms for achieving a factor of 2, nobody knows if it is possible to efficiently achieve a factor 1.99.

**Algorithm 1:** Pick an arbitrary edge. We know any vertex cover must have at least 1 endpoint of it, so let's take *both* endpoints. Then, throw out all edges covered and repeat. Keep going until there are no uncovered edges left.

**Theorem 3** *The above algorithm is a factor 2 approximation to VERTEX-COVER.*

**Proof:** What Algorithm 1 finds in the end is a matching (a set of edges no two of which share an endpoint) that is “maximal” (meaning that you can't add any more edges to it and keep it a matching). This means if we take both endpoints of those edges, we must have a vertex cover. In particular, if the algorithm picked  $k$  edges, the vertex cover found has size  $2k$ . But, *any* vertex cover must have size at least  $k$  since it needs to have at least one endpoint of each of these edges, and since these edges don't touch, these are  $k$  *different* vertices. So the algorithm is a 2-approximation as desired. ■

Here is now another 2-approximation algorithm for Vertex Cover:

**Algorithm 2:** First, solve a *fractional* version of the problem. Have a variable  $x_i$  for each vertex with constraint  $0 \leq x_i \leq 1$ . Think of  $x_i = 1$  as picking the vertex, and  $x_i = 0$  as not picking it, and in-between as “partially picking it”. Then for each edge  $(i, j)$ , add the constraint that it should be covered in that we require  $x_i + x_j \geq 1$ . Then our goal is to minimize  $\sum_i x_i$ .

We can solve this using linear programming. This is called an “LP relaxation” because any true vertex cover is a feasible solution, but we've made the problem easier by allowing fractional solutions too. So, the value of the optimal solution now will be at least as good as the smallest vertex cover, maybe even better (i.e., smaller), but it just might not be legal any more. [Give examples of triangle-graph and star-graph]

Now that we have a super-optimal fractional solution, we need to somehow convert that into a legal integral solution. We can do that here by just picking each vertex  $i$  such that  $x_i \geq 1/2$ . This step is called *rounding* of the linear program (which literally is what we are doing here by rounding the fraction to the nearest integer — for other problems, the “rounding” step might not be so simple).

**Theorem 4** *The above algorithm is a factor 2 approximation to VERTEX-COVER.*

**Proof:** Claim 1: the output of the algorithm is a legal vertex cover. Why? [get at least 1 endpt of each edge]

Claim 2: The size of the vertex cover found is at most twice the size of the optimal vertex cover. Why? Let  $OPT_{frac}$  be the value of the optimal fractional solution, and let  $OPT_{VC}$  be the size of the smallest vertex cover. First, as we noted above,  $OPT_{frac} \leq OPT_{VC}$ . Second, our solution has cost at most  $2 \cdot OPT_{frac}$  since it's no worse than doubling and rounding down. So, put together, our solution has cost at most  $2 \cdot OPT_{VC}$ . ■

Interesting fact: nobody knows any algorithm with approximation ratio 1.9. Best known is  $2 - O(1/\sqrt{\log n})$ , which is  $2 - o(1)$ .

Current best hardness result: Hastad shows  $7/6$  is NP-hard. Improved to 1.361 by Dinur and Safra. Beating 2-epsilon has been related to some other open problems (it is “unique games hard”), but is not known to be NP-hard.

### 3 Set Cover

The SET-COVER problem is defined as follows:

**Definition 5** SET-COVER: *Given a domain  $X$  of  $n$  points, and  $m$  subsets  $S_1, S_2, \dots, S_m$  of these points. Goal: find the fewest number of these subsets needed to cover all the points. The decision problem also provides a number  $k$  and asks whether it is possible to cover all the points using  $k$  or fewer sets.*

SET-COVER is NP-Complete. However, there is a simple algorithm that gets an approximation ratio of  $\ln n$  (i.e., that finds a cover using at most a factor  $\ln n$  more sets than the optimal solution).

**Greedy Algorithm (SET-COVER):** Pick the set that covers the most points. Throw out all the points covered. Repeat.

What's an example where this algorithm *doesn't* find the best solution?

**Theorem 6** *If the optimal solution uses  $k$  sets, the greedy algorithm finds a solution with at most  $k \ln n$  sets.*

**Proof:** Since the optimal solution uses  $k$  sets, there must some set that covers at least a  $1/k$  fraction of the points. The algorithm chooses the set that covers the most points, so it covers at least that many. Therefore, after the first iteration of the algorithm, there are at most  $n(1 - 1/k)$  points left. Again, since the optimal solution uses  $k$  sets, there must some set that covers at least a  $1/k$  fraction of the remainder (if we got lucky we might have chosen one of the sets used by the optimal solution and so there are actually  $k - 1$  sets covering the remainder, but we can't count on that necessarily happening). So, again, since we choose the set that covers the most points remaining, after the second iteration, there are at most  $n(1 - 1/k)^2$  points left. More generally, after  $t$  rounds, there are at most  $n(1 - 1/k)^t$  points left. After  $t = k \ln n$  rounds, there are at most  $n(1 - 1/k)^{k \ln n} < n(1/e)^{\ln n} = 1$  points left, which means we must be done. ■

Notice how the above analysis is similar to the analysis we used of Edmonds-Karp #1. Also, you can get a slightly better bound by using the fact that after  $k \ln(n/k)$  rounds, there are at most  $n(1/e)^{\ln(n/k)} = k$  points left, and (since each new set covers at least one point) you only need to go  $k$  more steps. This gives the somewhat better bound of  $k \ln(n/k) + k$ . So, we have:

**Theorem 7** *If the optimal solution uses  $k$  sets, the greedy algorithm finds a solution with at most  $k \ln(n/k) + k$  sets.*

In fact, it's been proven that unless everything in **NP** can be solved in time  $n^{O(\log \log n)}$ , then you can't get better than  $(1 - \epsilon) \ln(n)$  for any constant  $\epsilon > 0$  [Feige].

In general, the area of approximation algorithms and approximation hardness is a major area of algorithms research.