


Training Neural Networks: Optimization

Intro to Deep Learning, Spring 2019

Quick Recap

- Gradient descent, Backprop

Quick Recap: Training a network



- Define a total “loss” over all training instances
 - Quantifies the difference between desired output and the actual output, as a function of weights
- Find the weights that minimize the loss

Quick Recap: Training networks by gradient descent

$$L(W) = \frac{1}{N_X} \sum_X \text{div}(f(X; W), D(X))$$

$$\nabla_W L(W) = \frac{1}{N_X} \sum_X \nabla_W \text{div}(f(X; W), D(X))$$

Solved through
gradient descent as

$$\hat{W} = \arg \min_W L(W)$$



$$W_k = W_{k-1} - \eta \nabla_W L(W)^T$$

- The gradient of the total loss is the average of the gradients of the loss for the individual instances
- The total gradient can be plugged into gradient descent update to learn the network

Quick Recap: Training networks by gradient descent

$$L(W) = \frac{1}{N_X} \sum_X \underbrace{c}_{\text{Computed using backpropagation}}$$

$$\nabla_W L(W) = \frac{1}{N_X} \sum_X \nabla_W \text{div}(f(X; W), D(X))$$

Solved through gradient descent as


$$\hat{W} = \arg \min_W L(W)$$



$$W_k = W_{k-1} - \eta \nabla_W L(W)^T$$


- The gradient of the total loss is the average of the gradients of the loss for the individual instances
- The gradient can be plugged into gradient descent update to learn the network parameters

Quick recap of backprop: forward pass




- **Forward pass:** Compute output and all intermediate variables in the network, for the input X

Quick recap of backprop: forward pass




- **Forward pass:** Compute output and all intermediate variables in the network, for the input X

Quick recap of backprop: forward pass




- **Forward pass:** Compute output and all intermediate variables in the network, for the input X

Quick recap of backprop: forward pass




- **Forward pass:** Compute output and all intermediate variables in the network, for the input X

Quick recap of backprop: forward pass




- **Forward pass:** Compute output and all intermediate variables in the network, for the input X

Quick recap of backprop: forward pass



- **Forward pass:** Compute output and all intermediate variables in the network, for the input X

Quick recap of backprop: forward pass



- **Forward pass:** Compute output and all intermediate variables in the network, for the input X

The Forward Pass


- Set $\mathbf{y}_0 = \mathbf{x}$
- For layer $k = 1$ to N :
 - Recursion:

$$\mathbf{z}_k = \mathbf{W}_k \mathbf{y}_{k-1} + \mathbf{b}_k$$
$$\mathbf{y}_k = \mathbf{f}_k(\mathbf{z}_k)$$

- Output:


$$\mathbf{Y} = \mathbf{y}_N$$

Quick Recap: Backprop. Forward pass




- **Forward pass:** Compute output and all intermediate variables in the network, for the input X
- **Compute the divergence w.r.t. *desired* output**

Quick Recap: Backpropagation




- Now work your way *backward* through the net to compute the derivative w.r.t each intermediate variable and each weight/bias

Backprop



First compute the gradient of the divergence w.r.t. Y .
The actual gradient depends on the divergence function.


Backprop




$$\nabla_{\mathbf{z}_N} Div = \nabla_{\mathbf{Y}} Div J_{\mathbf{Y}}(\mathbf{z}_N)$$

Chain rule (vector format; note order of multiplication)

The backward pass




$$z_N = W_N y_{N-1} + b_N$$



$$\begin{aligned} \nabla_{W_N} Div &= y_{N-1} \nabla_{z_N} Div \\ \nabla_{b_N} Div &= \nabla_{z_N} Div \end{aligned}$$

Backprop




$$\nabla_{y_{N-1}} Div = \nabla_{z_N} Div \mathbf{W}_N$$

$$\nabla_{y_{N-1}} Div$$

Chain rule (vector format; note order of multiplication)

The backward pass




$$\nabla_{z_{N-1}} Div = \nabla_{y_{N-1}} Div J_{y_{N-1}}(z_{N-1})$$

The Jacobian will be a diagonal matrix for scalar activations

$$\nabla_{z_{N-1}} Div$$

Chain rule (vector format; note order of multiplication)

The backward pass




$$\mathbf{z}_{N-1} = \mathbf{W}_{N-1} \mathbf{y}_{N-2} + \mathbf{b}_{N-1}$$

$$\nabla_{\mathbf{W}_{N-1}} Div = \mathbf{y}_{N-2} \nabla_{\mathbf{z}_{N-1}} Div$$


$$\nabla_{\mathbf{b}_{N-1}} Div = \nabla_{\mathbf{z}_{N-1}} Div$$

The backward pass




$$\nabla_{y_{N-2}} Div = \nabla_{z_{N-1}} Div \mathbf{W}_{N-1}$$

The backward pass




$$\nabla_{\mathbf{z}_{N-2}} Div = \nabla_{\mathbf{y}_{N-2}} Div J_{\mathbf{y}_{N-2}}(\mathbf{z}_{N-2})$$

The backward pass



$$\nabla_{z_1} Div = \nabla_{y_1} Div J_{y_1}(z_1)$$

The backward pass



$$\nabla_{W_1} Div = \mathbf{x} \nabla_{z_1} Div$$

$$\nabla_{b_1} Div = \nabla_{z_1} Div$$

In some problems we will also want to compute the derivative w.r.t. the input

The Backward Pass

- Set $\mathbf{y}_N = Y, \mathbf{y}_0 = \mathbf{x}$
- Initialize: Compute $\nabla_{\mathbf{y}_N} Div = \nabla_Y Div$
- For layer $k = N$ downto 1:

– Recursion:

$$\nabla_{\mathbf{z}_k} Div = \nabla_{\mathbf{y}_k} Div J_{\mathbf{y}_k}(\mathbf{z}_k)$$

$$\nabla_{\mathbf{y}_{k-1}} Div = \nabla_{\mathbf{z}_k} Div \mathbf{W}_k$$

– Gradient computation:

$$\nabla_{\mathbf{W}_k} Div = \mathbf{y}_{k-1} \nabla_{\mathbf{z}_k} Div$$

$$\nabla_{\mathbf{b}_k} Div = \nabla_{\mathbf{z}_k} Div$$


Neural network training algorithm

- Initialize all weights and biases ($\mathbf{W}_1, \mathbf{b}_1, \mathbf{W}_2, \mathbf{b}_2, \dots, \mathbf{W}_N, \mathbf{b}_N$)
- Do:
 - $Err = 0$
 - For all k , initialize $\nabla_{\mathbf{W}_k} Err = 0, \nabla_{\mathbf{b}_k} Err = 0$
 - For all $t = 1:T$
 - Forward pass : Compute
 - Output $\mathbf{Y}(X_t)$
 - Divergence $Div(\mathbf{Y}_t, \mathbf{d}_t)$
 - $Err += Div(\mathbf{Y}_t, \mathbf{d}_t)$
 - Backward pass: For all k compute:
 - $\nabla_{\mathbf{W}_k} Div(\mathbf{Y}_t, \mathbf{d}_t); \nabla_{\mathbf{b}_k} Div(\mathbf{Y}_t, \mathbf{d}_t)$
 - $\nabla_{\mathbf{W}_k} Err += \nabla_{\mathbf{W}_k} Div(\mathbf{Y}_t, \mathbf{d}_t); \nabla_{\mathbf{b}_k} Err += \nabla_{\mathbf{b}_k} Div(\mathbf{Y}_t, \mathbf{d}_t)$
 - For all k , update:
$$\mathbf{W}_k = \mathbf{W}_k - \frac{\eta}{T} (\nabla_{\mathbf{W}_k} Err)^T; \quad \mathbf{b}_k = \mathbf{b}_k - \frac{\eta}{T} (\nabla_{\mathbf{b}_k} Err)^T$$
- Until Err has converged

Quick Recap

- Gradient descent, Backprop
- The issues with backprop and gradient descent
 - 1. Minimizes a *loss* which *relates* to classification accuracy, but is not actually classification accuracy
 - The divergence is a continuous valued proxy to classification error
 - Minimizing the loss is *expected* to, but not *guaranteed* to minimize classification error
 - 2. Simply minimizing the loss is hard enough..



Quick recap: Problem with gradient descent



$$W_k = W_{k-1} - \eta \nabla_W L(W)^T$$

- A step size that assures fast convergence for a given eccentricity can result in divergence at a higher eccentricity
- .. Or result in extremely slow convergence at lower eccentricity

Quick recap: Problem with gradient descent



- The loss is a function of many weights (and biases)
 - Has different eccentricities w.r.t different weights
- A fixed step size for all weights in the network can result in the convergence of one weight, while causing a divergence of another


Solutions for problem with gradient descent

- Try to normalize curvature in all directions
 - Second order methods, e.g. Newton's method
 - Too expensive: require inversion of a giant Hessian
- Treat each dimension independently:
 - Rprop, quickprop
 - Works, but ignores dependence between dimensions
 - Can result in unexpected behavior
 - Can still be too slow

Quick Recap


- Gradient descent, Backprop
- The issues with backprop and gradient descent
- Momentum methods..

A closer look at the convergence problem



- With dimension-independent learning rates, the solution will converge smoothly in some directions, but oscillate or diverge in others

A closer look at the convergence problem




- With dimension-independent learning rates, the solution will converge smoothly in some directions, but oscillate or diverge in others

- **Proposal:**


- Keep track of oscillations
- Emphasize steps in directions that converge smoothly
- Shrink steps in directions that bounce around..

The momentum methods

- Maintain a running average of all past steps
 - In directions in which the convergence is smooth, the average will have a large value
 - In directions in which the estimate swings, the positive and negative swings will cancel out in the average
- Update with the running average, rather than the current gradient



Momentum Update



- The momentum method maintains a running average of all gradients until the *current* step

$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)})$$

$$W^{(k)} = W^{(k-1)} + \Delta W^{(k)}$$

- Typical β value is 0.9
- The running average steps
 - Get longer in directions where gradient stays in the same sign
 - Become shorter in directions where the sign keeps flipping


Training by gradient descent

- Initialize all weights $\mathbf{W}_1, \mathbf{W}_2, \dots, \mathbf{W}_K$
- Do:
 - For all i, j, k , initialize $\nabla_{W_k} Err = 0$
 - For all $t = 1:T$
 - For every layer k :
 - Compute $\nabla_{W_k} Div(Y_t, d_t)$
 - Compute $\nabla_{W_k} Err += \frac{1}{T} \nabla_{W_k} Div(Y_t, d_t)$
 - For every layer k :
$$W_k = W_k - \eta \nabla_{W_k} Err$$
- Until Err has converged

Training with momentum

- Initialize all weights $\mathbf{W}_1, \mathbf{W}_2, \dots, \mathbf{W}_K$
- Do:
 - For all layers k , initialize $\nabla_{W_k} Err = 0, \Delta W_k = 0$
 - For all $t = 1:T$
 - For every layer k :
 - Compute gradient $\nabla_{W_k} Div(Y_t, d_t)$
 - $\nabla_{W_k} Err += \frac{1}{T} \nabla_{W_k} Div(Y_t, d_t)$
 - For every layer k
 - $$\Delta W_k = \beta \Delta W_k - \eta \nabla_{W_k} Err$$
$$W_k = W_k + \Delta W_k$$
- Until Err has converged

Momentum Update




- The momentum method

$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)})$$

- At any iteration, to compute the current step:

Momentum Update




- The momentum method

$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)})$$

- At any iteration, to compute the current step:
 - First computes the gradient step at the current location

Momentum Update




- The momentum method

$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)})$$

- At any iteration, to compute the current step:
 - First computes the gradient step at the current location
 - Then adds in the scaled *previous* step
 - Which is actually a running average

Momentum Update




- The momentum method

$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)})$$


- At any iteration, to compute the current step:
 - First computes the gradient step at the current location
 - Then adds in the scaled *previous* step
 - Which is actually a running average
 - To get the final step

Momentum update




- Takes a step along the past running average *after* walking along the gradient
- The procedure can be made more optimal by reversing the order of operations..

Nestorov's Accelerated Gradient




- Change the order of operations
- At any iteration, to compute the current step:

Nestorov's Accelerated Gradient




- Change the order of operations
- At any iteration, to compute the current step:
 - First extend the previous step

Nestorov's Accelerated Gradient




- Change the order of operations
- At any iteration, to compute the current step:
 - First extend the previous step
 - Then compute the gradient step at the resultant position

Nestorov's Accelerated Gradient



- Change the order of operations
- At any iteration, to compute the current step:
 - First extend the previous step
 - Then compute the gradient step at the resultant position
 - Add the two to obtain the final step

Nestorov's Accelerated Gradient




- Nestorov's method

$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)} + \beta \Delta W^{(k-1)})$$

$$W^{(k)} = W^{(k-1)} + \Delta W^{(k)}$$

Nestorov's Accelerated Gradient



- Comparison with momentum (example from Hinton)
 - Blue: Momentum
 - Dotted line is the final update at each iteration
 - Brown/ochre/green: Nestorov
 - Brown is (scaled) previous update, ochre is gradient, green is the final update
- Converges much faster

Training with Nestorov

- Initialize all weights $\mathbf{W}_1, \mathbf{W}_2, \dots, \mathbf{W}_K$
- Do:
 - For all layers k , initialize $\nabla_{W_k} \text{Err} = 0, \Delta W_k = 0$
 - For every layer k
$$W_k = W_k + \beta \Delta W_k$$
 - For all $t = 1:T$
 - For every layer k :
 - Compute gradient $\nabla_{W_k} \text{Div}(Y_t, d_t)$
 - $\nabla_{W_k} \text{Err} += \frac{1}{T} \nabla_{W_k} \text{Div}(Y_t, d_t)$
 - For every layer k
$$W_k = W_k - \eta \nabla_{W_k} \text{Err}$$
$$\Delta W_k = \beta \Delta W_k - \eta \nabla_{W_k} \text{Err}$$
- Until Err has converged


Momentum and trend-based methods..

- We will return to this topic again, very soon..


Story so far : Convergence

- Gradient descent can miss obvious answers
 - And this may be a *good* thing
- Vanilla gradient descent may be too slow or unstable due to the differences between the dimensions
- Second order methods can normalize the variation across dimensions, but are complex
- Adaptive or decaying learning rates can improve convergence
- Methods that decouple the dimensions can improve convergence
- Momentum methods which emphasize directions of steady improvement are demonstrably superior to other methods


Momentum methods: principle



Increase stepsize because previous updates consistently moved weight right



Decrease stepsize because previous updates kept changing direction




Stepsize shrinks along w_2 but increases along w_1

- Ideally: Have component-specific step size
 - Too many independent parameters (maintain a step size for every weight/bias)
- Adaptive solution: Start with a common step size
 - *Shrink* step size in directions where the weight oscillates
 - *Expand* step size in directions where the weight moves consistently in one direction


Quick recap: Momentum methods

Momentum



$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)})$$

Nestorov



$$W_{\text{extend}}^{(k)} = W^{(k-1)} + \beta \Delta W^{(k-1)}$$
$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W_{\text{extend}}^{(k)})$$
$$W^{(k)} = W^{(k-1)} + \Delta W^{(k)}$$

- Momentum: Retain gradient value, but *smooth out* gradients by maintaining a running average
 - Cancels out steps in directions where the weight value oscillates
 - Adaptively increases step size in directions of consistent change

Recap

- Neural networks are universal approximators
- We must *train* them to approximate any function
- Networks are trained to minimize total “error” on a training set
 - We do so through empirical risk minimization
- We use variants of gradient descent to do so
 - Gradients are computed through backpropagation

Recap

- Vanilla gradient descent may be too slow or unstable
- Better convergence can be obtained through
 - Second order methods that normalize the variation across dimensions
 - Adaptive or decaying learning rates that can improve convergence
 - Methods like Rprop that decouple the dimensions can improve convergence
 - Momentum methods which emphasize directions of steady improvement and deemphasize unstable directions


Moving on: Topics for the day

- Incremental updates
- Revisiting “trend” algorithms
- Generalization
- Tricks of the trade
 - Divergences..
 - Activations
 - Normalizations

Moving on: Topics for the day


- Incremental updates
- Revisiting “trend” algorithms
- Generalization
- Tricks of the trade
 - Divergences..
 - Activations
 - Normalizations

The training formulation




- Given input output pairs at a number of locations, estimate the entire function

Gradient descent




- Start with an initial function

Gradient descent




- Start with an initial function
- Adjust its value at *all* points to make the outputs closer to the required value
 - Gradient descent adjusts parameters to adjust the function value at *all* points
 - Repeat this iteratively until we get arbitrarily close to the target function at the training points

Gradient descent




- Start with an initial function
- Adjust its value at *all* points to make the outputs closer to the required value
 - Gradient descent adjusts parameters to adjust the function value at *all* points
 - Repeat this iteratively until we get arbitrarily close to the target function at the training points

Gradient descent




- Start with an initial function
- Adjust its value at *all* points to make the outputs closer to the required value
 - Gradient descent adjusts parameters to adjust the function value at *all* points
 - Repeat this iteratively until we get arbitrarily close to the target function at the training points

Gradient descent




- Start with an initial function
- Adjust its value at *all* points to make the outputs closer to the required value
 - Gradient descent adjusts parameters to adjust the function value at *all* points
 - Repeat this iteratively until we get arbitrarily close to the target function at the training points

Gradient descent




- Start with an initial function
- Adjust its value at *all* points to make the outputs closer to the required value
 - Gradient descent adjusts parameters to adjust the function value at *all* points
 - Repeat this iteratively until we get arbitrarily close to the target function at the training points

Effect of number of samples




- Problem with conventional gradient descent: we try to simultaneously adjust the function at *all* training points
 - We must process *all* training points before making a single adjustment
 - “Batch” update

Alternative: Incremental update




- Alternative: adjust the function at one training point at a time
 - Keep adjustments small

Alternative: Incremental update




- Alternative: adjust the function at one training point at a time
 - Keep adjustments small

Alternative: Incremental update




- Alternative: adjust the function at one training point at a time
 - Keep adjustments small

Alternative: Incremental update



- Alternative: adjust the function at one training point at a time
 - Keep adjustments small

Alternative: Incremental update




- Alternative: adjust the function at one training point at a time
 - Keep adjustments small
 - Eventually, when we have processed all the training points, we will have adjusted the entire function
 - With *greater* overall adjustment than we would if we made a single “Batch” update

Incremental Update: Stochastic Gradient Descent


- Given $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
- Initialize all weights W_1, W_2, \dots, W_K
- Do:
 - For all $t = 1:T$
 - For every layer k :
 - Compute $\nabla_{W_k} \text{Div}(Y_t, d_t)$
 - Update
$$W_k = W_k - \eta \nabla_{W_k} \text{Div}(Y_t, d_t)$$
- Until Err has converged

Caveats: order of presentation




- If we loop through the samples in the same order, we may get *cyclic* behavior

Caveats: order of presentation




- If we loop through the samples in the same order, we may get *cyclic* behavior

Caveats: order of presentation




- If we loop through the samples in the same order, we may get *cyclic* behavior

Caveats: order of presentation




- If we loop through the samples in the same order, we may get *cyclic* behavior

Caveats: order of presentation




- If we loop through the samples in the same order, we may get *cyclic* behavior
- We must go through them *randomly* to get more convergent behavior

Caveats: order of presentation




- If we loop through the samples in the same order, we may get *cyclic* behavior
- We must go through them *randomly* to get more convergent behavior

Caveats: order of presentation




- If we loop through the samples in the same order, we may get *cyclic* behavior
- We must go through them *randomly* to get more convergent behavior

Caveats: order of presentation



- If we loop through the samples in the same order, we may get *cyclic* behavior
- We must go through them *randomly* to get more convergent behavior

Caveats: order of presentation



- If we loop through the samples in the same order, we may get *cyclic* behavior
- We must go through them *randomly* to get more convergent behavior

Story so far



- In any gradient descent optimization problem, presenting training instances incrementally can be more effective than presenting them all at once
 - Provided training instances are provided in random order
 - “Stochastic Gradient Descent”
- This also holds for training neural networks

Explanations and restrictions

- So why does this process of incremental updates work?
- Under what conditions?
- For “why”: first consider a simplistic explanation that’s often given
 - Look at an extreme example


The expected behavior of the gradient

$$\frac{dE(W^{(1)}, W^{(2)}, \dots, W^{(K)})}{dw_{i,j}^{(k)}} = \frac{1}{T} \sum_i \frac{dDiv(Y(X_i), d_i; W^{(1)}, W^{(2)}, \dots, W^{(K)})}{dw_{i,j}^{(k)}}$$



- The individual training instances contribute different directions to the overall gradient
 - The final gradient points is the average of individual gradients
 - It points towards the *net* direction

Extreme example





$$X_1 = X_2 = \dots = X_T$$

- Extreme instance of data clotting: all the training instances are exactly the same

The expected behavior of the gradient


$$\frac{dE}{dw_{i,j}^{(k)}} = \frac{1}{T} \sum_i \frac{d\text{Div}(Y(X_i), d_i)}{dw_{i,j}^{(k)}} = \frac{d\text{Div}(Y(X_i), d_i)}{dw_{i,j}^{(k)}}$$



- The individual training instance contribute identical directions to the overall gradient
 - The final gradient points is simply the gradient for an individual instance


Batch vs SGD

$$X_1 = X_2 = \dots = X_T$$



- Batch gradient descent operates over T training instances to get a *single* update
- SGD gets T updates for the same computation


Clumpy data..



$$X_1 \approx X_2 \approx \dots \approx X_T$$

- Also holds if all the data are not identical, but are tightly clumped together

Clumpy data..



- As data get increasingly diverse, the benefits of incremental updates decrease, but do not entirely vanish


When does it work

- What are the considerations?
- And how well does it work?

Incremental Update: Stochastic Gradient Descent

- Given $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
- Initialize all weights $W_1, W_2, \dots, W_K; j = 0$
- Do:
 - Randomly permute $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
 - For all $t = 1:T$
 - $j = j + 1$
 - For every layer k :
 - Compute $\nabla_{W_k} \text{Div}(Y_t, d_t)$
 - Update
$$W_k = W_k - \eta_j \nabla_{W_k} \text{Div}(Y_t, d_t)$$
- Until *Err* has converged

Caveats: learning rate



- Except in the case of a perfect fit, even an optimal overall fit will look incorrect to *individual* instances
 - Correcting the function for individual instances will lead to never-ending, non-convergent updates
 - We must *shrink* the learning rate with iterations to prevent this
 - Correction for individual instances with the eventual miniscule learning rates will not modify the function

Incremental Update: Stochastic Gradient Descent

- Given $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
- Initialize all weights $W_1, W_2, \dots, W_K; j = 0$
- Do:

– Randomly permute $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$

– For all $t = 1:T$

• $j = j + 1$

• For every layer k :

– Compute $\nabla_{W_k} \text{Div}(Y_t, d_t)$

– Update

$$W_k = W_k - \eta_j \nabla_{W_k} \text{Div}(Y_t, d_t)$$

- Until Err has converged

Randomize input order

Learning rate reduces with j

Stochastic Gradient Descent

- The iterations can make multiple passes over the data
- A single pass through the entire training data is called an “epoch”
 - An epoch over a training set with T samples results in T updates of parameters

SGD convergence

- SGD converges “almost surely” to a global or local minimum for most functions

– Sufficient condition: step sizes follow the following conditions

$$\sum_k \eta_k = \infty$$

- Eventually the entire parameter space can be searched

$$\sum_k \eta_k^2 < \infty$$

- The steps shrink

– The fastest converging series that satisfies both above requirements is

$$\eta_k \propto \frac{1}{k}$$

- This is the optimal rate of shrinking the step size for strongly convex functions
- More generally, the learning rates are heuristically determined
- If the loss is convex, SGD converges to the optimal solution
- For non-convex losses SGD converges to a local minimum

SGD convergence

- We will define convergence in terms of the number of iterations taken to get within ϵ of the optimal solution
 - $|f(W^{(k)}) - f(W^*)| < \epsilon$
 - Note: $f(W)$ here is the error on the *entire* training data, although SGD itself updates after every training instance

- Using the optimal learning rate $1/k$, for *strongly convex* functions,

$$|W^{(k)} - W^*| < \frac{1}{k} |W^{(0)} - W^*|$$

- Strongly convex \rightarrow Can be placed inside a quadratic bowl, touching at any point
 - Giving us the iterations to ϵ convergence as $O\left(\frac{1}{\epsilon}\right)$
- For generically convex (but not strongly convex) function, various proofs report an ϵ convergence of $\frac{1}{\sqrt{k}}$ using a learning rate of $\frac{1}{\sqrt{k}}$.

Batch gradient convergence

- In contrast, using the batch update method, for *strongly convex* functions,

$$|W^{(k)} - W^*| < c^k |W^{(0)} - W^*|$$

– Giving us the iterations to ϵ convergence as $O\left(\log\left(\frac{1}{\epsilon}\right)\right)$

- For generic convex functions, iterations to ϵ convergence is $O\left(\frac{1}{\epsilon}\right)$
- Batch gradients converge “faster”
 - But SGD performs T updates for every batch update

SGD Convergence: Loss value

If:

- f is λ -strongly convex, and
- at step t we have a noisy estimate of the subgradient \hat{g}_t with $\mathbb{E}[\|\hat{g}_t\|^2] \leq G^2$ for all t ,
- and we use step size $\eta_t = 1/\lambda t$

Then for any $T > 1$:

$$\mathbb{E}[f(w_T) - f(w^*)] \leq \frac{17G^2(1 + \log(T))}{\lambda T}$$

SGD Convergence

- We can bound the expected difference between the loss over our data using the optimal weights w^* and the weights w_T at **any single iteration** to $\mathcal{O}\left(\frac{\log(T)}{T}\right)$ for strongly convex loss or $\mathcal{O}\left(\frac{\log(T)}{\sqrt{T}}\right)$ for convex loss
- Averaging schemes can improve the bound to $\mathcal{O}\left(\frac{1}{T}\right)$ and $\mathcal{O}\left(\frac{1}{\sqrt{T}}\right)$
- **Smoothness** of the loss is **not required**

SGD Convergence and weight averaging


Polynomial Decay Averaging:

$$\bar{w}_t^\gamma = \left(1 - \frac{\gamma + 1}{t + \gamma}\right) \bar{w}_{t-1}^\gamma + \frac{\gamma + 1}{t + \gamma} w_t$$

With γ some small positive constant, e.g. $\gamma = 3$



Achieves $\mathcal{O}\left(\frac{1}{T}\right)$ (strongly convex) and $\mathcal{O}\left(\frac{1}{\sqrt{T}}\right)$ (convex) convergence

SGD example



- A simpler problem: K-means
- Note: SGD converges slower
- Also note the rather large variation between runs
 - Lets try to understand these results..


Recall: Modelling a function



- To learn a network $f(X; \mathbf{W})$ to model a function $g(X)$ we minimize the *expected divergence*

$$\begin{aligned}\widehat{\mathbf{W}} &= \operatorname{argmin}_W \int_X \operatorname{div}(f(X; W), g(X)) P(X) dX \\ &= \operatorname{argmin}_W E[\operatorname{div}(f(X; W), g(X))]\end{aligned}$$

Recall: The *Empirical* risk




- In practice, we minimize the *empirical error*

$$Err(f(X; W), g(X)) = \frac{1}{N} \sum_{i=1}^N div(f(X_i; W), d_i)$$
$$\widehat{W} = \underset{W}{\operatorname{argmin}} Err(f(X; W), g(X))$$

- The *expected value* of the *empirical error* is actually the *expected divergence*

$$E[Err(f(X; W), g(X))] = E[div(f(X; W), g(X))]$$

Recap: The *Empirical* risk



- In practice, we minimize the *empirical error*


$$Err(f(X; W), g(X)) = \frac{1}{N} \sum_{i=1}^N div(f(X_i; W), d_i)$$

The empirical error is an *unbiased* estimate of the expected error
Though there is no guarantee that minimizing it will minimize the
expected error

The expected value of the empirical error is actually the expected error

$$E[Err(f(X; W), g(X))] = E[div(f(X; W), g(X))]$$

Recap: The *Empirical* risk



The variance of the empirical error: $\text{var}(\text{Err}) = 1/N \text{var}(\text{div})$

The variance of the estimator is proportional to $1/N$

The larger this variance, the greater the likelihood that the W that minimizes the empirical error will differ significantly from the W that minimizes the expected error


$$\text{Err}(f(X; W), g(X)) = \frac{1}{N} \sum_{i=1}^N \text{div}(f(X_i; W), d_i)$$

The empirical error is an *unbiased* estimate of the expected error

Though there is no guarantee that minimizing it will minimize the expected error


$$E[\text{Err}(f(X; W), g(X))] = E[\text{div}(f(X; W), g(X))]$$

SGD



- At each iteration, **SGD** focuses on the divergence of a **single** sample $div(f(X_i; W), d_i)$
- The *expected value* of the *sample error* is **still** the *expected divergence* $E[div(f(X; W), g(X))]$


SGD



The sample error is also an *unbiased* estimate of the expected error

- At each iteration, **SGD** focuses on the divergence of a **single** sample $div(f(X_i; W), d_i)$
- The *expected value* of the *sample error* is **still** the *expected divergence* $E[div(f(X; W), g(X))]$

SGD




The variance of the sample error is the variance of the divergence itself: $\text{var}(\text{div})$
This is N times the variance of the empirical average minimized by batch update

The sample error is also an *unbiased* estimate of the expected error


- At each iteration, **SGD** focuses on the divergence of a *single* sample $\text{div}(f(X_i; W), d_i)$
- The *expected value* of the *sample error* is *still* the *expected divergence* $E[\text{div}(f(X; W), g(X))]$

Explaining the variance




- The blue curve is the function being approximated
- The red curve is the approximation by the model at a given W
- The heights of the shaded regions represent the point-by-point error
 - The divergence is a function of the error
 - We want to find the W that minimizes the average divergence

Explaining the variance




- Sample estimate approximates the shaded area with the average length of the lines

Explaining the variance




- Sample estimate approximates the shaded area with the average length of the lines
- This average length will change with position of the samples

Explaining the variance




- Sample estimate approximates the shaded area with the average length of the lines
- This average length will change with position of the samples

Explaining the variance




- Having more samples makes the estimate more robust to changes in the position of samples
 - The variance of the estimate is smaller

Explaining the variance




- Having very few samples makes the estimate swing wildly with the sample position
 - Since our estimator learns the W to minimize this estimate, the learned W too can swing wildly

Explaining the variance




- Having very few samples makes the estimate swing wildly with the sample position
 - Since our estimator learns the W to minimize this estimate, the learned W too can swing wildly

Explaining the variance



- Having very few samples makes the estimate swing wildly with the sample position
 - Since our estimator learns the W to minimize this estimate, the learned W too can swing wildly

SGD example




- A simpler problem: K-means
- Note: SGD converges slower
- Also has large variation between runs

SGD vs batch

- SGD uses the gradient from only one sample at a time, and is consequently high variance
- But also provides significantly quicker updates than batch
- Is there a good medium?

Alternative: Mini-batch update



- Alternative: adjust the function at a small, randomly chosen subset of points
 - Keep adjustments small
 - If the subsets cover the training set, we will have adjusted the entire function
- As before, vary the subsets randomly in different passes through the training data


Incremental Update: Mini-batch update

- Given $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
- Initialize all weights $W_1, W_2, \dots, W_K; j = 0$
- Do:
 - Randomly permute $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
 - For $t = 1:b:T$
 - $j = j + 1$
 - For every layer k :
 - $\Delta W_k = 0$
 - For $t' = t : t+b-1$
 - For every layer k :
 - » Compute $\nabla_{W_k} \text{Div}(Y_{t'}, d_{t'})$
 - » $\Delta W_k = \Delta W_k + \frac{1}{b} \nabla_{W_k} \text{Div}(Y_{t'}, d_{t'})$
 - Update
 - For every layer k :
$$W_k = W_k - \eta_j \Delta W_k$$
- Until Err has converged

Incremental Update: Mini-batch update

- Given $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
- Initialize all weights $W_1, W_2, \dots, W_K; j = 0$
- Do:
 - Randomly permute $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
 - For $t = 1:b:T$
 - $j = j + 1$ Mini-batch size
 - For every layer k :
 - $\Delta W_k = 0$
 - For $t' = t : t+b-1$
 - For every layer k :
 - » Compute $\nabla_{W_k} \text{Div}(Y_{t'}, d_{t'})$
 - » $\Delta W_k = \Delta W_k + \frac{1}{b} \nabla_{W_k} \text{Div}(Y_{t'}, d_{t'})$
 - Update
 - For every layer k :
 $W_k = W_k - \eta_j \Delta W_k$ Shrinking step size
- Until *Err* has converged

Mini Batches




- Mini-batch updates compute and minimize a *batch error*

$$BatchErr(f(X; W), g(X)) = \frac{1}{b} \sum_{i=1}^b div(f(X_i; W), d_i)$$

- The *expected value* of the *batch error* is also the *expected divergence*

$$E[BatchErr(f(X; W), g(X))] = E[div(f(X; W), g(X))]$$

Mini Batches



The batch error is also an unbiased estimate of the expected error


- Mini-batch updates computes an *empirical batch error*

$$\text{BatchErr}(f(X; W), g(X)) = \frac{1}{b} \sum_{i=1}^b \text{div}(f(X_i; W), d_i)$$

- The *expected value* of the *batch error* is also the *expected divergence*

$$E[\text{BatchErr}(f(X; W), g(X))] = E[\text{div}(f(X; W), g(X))]$$

Mini Batches



The variance of the batch error: $\text{var}(\text{Err}) = 1/b \text{ var}(\text{div})$
This will be much smaller than the variance of the sample error in SGD

The batch error is also an unbiased estimate of the expected error

- Mini-batch updates computes an *empirical batch error*

$$\text{BatchErr}(f(X; W), g(X)) = \frac{1}{b} \sum_{i=1}^b \text{div}(f(X_i; W), d_i)$$


- The *expected value* of the *batch error* is also the *expected divergence*

$$E[\text{BatchErr}(f(X; W), g(X))] = E[\text{div}(f(X; W), g(X))]$$

Minibatch convergence

- For convex functions, convergence rate for SGD is $\mathcal{O}\left(\frac{1}{\sqrt{k}}\right)$.
- For *mini-batch* updates with batches of size b , the convergence rate is $\mathcal{O}\left(\frac{1}{\sqrt{bk}} + \frac{1}{k}\right)$
 - Apparently an improvement of \sqrt{b} over SGD
 - But since the batch size is b , we perform b times as many computations per iteration as SGD
 - We actually get a *degradation* of \sqrt{b}
- However, in practice
 - The objectives are generally not convex; mini-batches are more effective with the right learning rates
 - We also get additional benefits of vector processing


SGD example



- Mini-batch performs comparably to batch training on this simple problem
 - But converges orders of magnitude faster

Measuring Error

- Convergence is generally defined in terms of the *overall training error*
 - Not sample or batch error



- Infeasible to actually measure the overall training error after each iteration
- More typically, we estimate it as
 - Divergence or classification error on a held-out set
 - Average sample/batch error over the past N samples/batches

Training and minibatches

- In practice, training is usually performed using mini-batches
 - The mini-batch size is a hyper parameter to be optimized
- Convergence depends on learning rate
 - Simple technique: fix learning rate until the error plateaus, then reduce learning rate by a fixed factor (e.g. 10)
 - ***Advanced methods***: Adaptive updates, where the learning rate is itself determined as part of the estimation

Story so far

- SGD: Presenting training instances one-at-a-time can be more effective than full-batch training
 - Provided they are provided in random order
- For SGD to converge, the learning rate must shrink sufficiently rapidly with iterations
 - Otherwise the learning will continuously “chase” the latest sample
- SGD estimates have higher variance than batch estimates
- Minibatch updates operate on *batches* of instances at a time
 - Estimates have lower variance than SGD
 - Convergence rate is theoretically worse than SGD
 - But we compensate by being able to perform batch processing


Training and minibatches

- Convergence depends on learning rate
 - Simple technique: fix learning rate until the error plateaus, then reduce learning rate by a fixed factor (e.g. 10)
 - ***Advanced methods***: Adaptive updates, where the learning rate is itself determined as part of the estimation

Moving on: Topics for the day

- Incremental updates
- Revisiting “trend” algorithms
- Generalization
- Tricks of the trade
 - Divergences..
 - Activations
 - Normalizations

Recall: Momentum




- The momentum method

$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)})$$

- Updates using a running average of the gradient

Momentum and incremental updates



- The momentum method


$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)})$$

- Incremental SGD and mini-batch gradients tend to have high variance
- Momentum smooths out the variations
 - Smoother and faster convergence

Incremental Update: Mini-batch update


- Given $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
- Initialize all weights W_1, W_2, \dots, W_K ; $j = 0, \Delta W_k = 0$
- Do:
 - Randomly permute $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
 - For $t = 1:b:T$
 - $j = j + 1$
 - For every layer k :
 - $\nabla_{W_k} \text{Err} = 0$
 - For $t' = t : t+b-1$
 - For every layer k :
 - » Compute $\nabla_{W_k} \text{Div}(Y_{t'}, d_{t'})$
 - » $\nabla_{W_k} \text{Err} += \frac{1}{b} \nabla_{W_k} \text{Div}(Y_{t'}, d_{t'})$
 - Update
 - For every layer k :
 - $$\Delta W_k = \beta \Delta W_k - \eta_j \nabla_{W_k} \text{Err}$$
$$W_k = W_k + \Delta W_k$$
- Until Err has converged

Nestorov's Accelerated Gradient



- At any iteration, to compute the current step:
 - First extend the previous step
 - Then compute the gradient at the resultant position
 - Add the two to obtain the final step
- This also applies directly to incremental update methods
 - The accelerated gradient smooths out the variance in the gradients

Nestorov's Accelerated Gradient



- Nestorov's method

$$\Delta W^{(k)} = \beta \Delta W^{(k-1)} - \eta \nabla_W \text{Err}(W^{(k-1)}) + \beta \Delta W^{(k-1)}$$

$$W^{(k)} = W^{(k-1)} + \Delta W^{(k)}$$


Incremental Update: Mini-batch update

- Given $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
- Initialize all weights W_1, W_2, \dots, W_K ; $j = 0, \Delta W_k = 0$
- Do:
 - Randomly permute $(X_1, d_1), (X_2, d_2), \dots, (X_T, d_T)$
 - For $t = 1:b:T$
 - $j = j + 1$
 - For every layer k :
 - $W_k = W_k + \beta \Delta W_k$
 - $\nabla_{W_k} Err = 0$
 - For $t' = t : t+b-1$
 - For every layer k :
 - » Compute $\nabla_{W_k} Div(Y_{t'}, d_{t'})$
 - » $\nabla_{W_k} Err += \frac{1}{b} \nabla_{W_k} Div(Y_{t'}, d_{t'})$
 - Update
 - For every layer k :
 - $W_k = W_k - \eta_j \nabla_{W_k} Err$
 - $\Delta W_k = \beta \Delta W_k - \eta_j \nabla_{W_k} Err$
- Until Err has converged

More recent methods

- Several newer methods have been proposed that follow the general pattern of enhancing long-term trends to smooth out the variations of the mini-batch gradient
 - RMS Prop
 - Adagrad
 - AdaDelta
 - **ADAM: very popular in practice**
 - ...
- All roughly equivalent in performance

Smoothing the trajectory



Step	X component	Y component
1	1	+2.5
2	1	-3
3	3	+2.5
4	1	-2
5	2	1.5

- Simple gradient and acceleration methods still demonstrate oscillatory behavior in some directions
- Observation: Steps in “oscillatory” directions show large total movement
 - In the example, total motion in the vertical direction is much greater than in the horizontal direction
- Improvement: Dampen step size in directions with high motion
 - *Second order term*

Variance-normalized step



- In recent past
 - Total movement in Y component of updates is high
 - Movement in X components is lower
- Current update, modify usual gradient-based update:
 - Scale *down* Y component
 - Scale *up* X component
 - *According to their variation (and not just their average)*
- A variety of algorithms have been proposed on this premise
 - We will see a popular example

RMS Prop

- Notation:
 - Updates are *by parameter*
 - Sum derivative of divergence w.r.t any individual parameter w is shown as $\partial_w D$
 - The *squared* derivative is $\partial_w^2 D = (\partial_w D)^2$
 - Short-hand notation represents the squared derivative, not the second derivative
 - The *mean squared* derivative is a running estimate of the average squared derivative. We will show this as $E[\partial_w^2 D]$
- Modified update rule: We want to
 - scale down updates with large mean squared derivatives
 - scale up updates with small mean squared derivatives

RMS Prop

- This is a variant on the *basic* mini-batch SGD algorithm
- **Procedure:**
 - Maintain a running estimate of the mean squared value of derivatives for each parameter
 - Scale update of the parameter by the *inverse* of the *root mean squared* derivative

$$E[\partial_w^2 D]_k = \gamma E[\partial_w^2 D]_{k-1} + (1 - \gamma)(\partial_w^2 D)_k$$

$$w_{k+1} = w_k - \frac{\eta}{\sqrt{E[\partial_w^2 D]_k + \epsilon}} \partial_w D$$

RMS Prop

- This is a variant on the *basic* mini-batch SGD algorithm
- **Procedure:**
 - Maintain a running estimate of the mean squared value of derivatives for each parameter
 - Scale update of the parameter by the *inverse* of the *root mean squared* derivative

$$E[\partial_w^2 D]_k = \gamma E[\partial_w^2 D]_{k-1} + (1 - \gamma)(\partial_w^2 D)_k$$

$$w_{k+1} = w_k - \frac{\eta}{\sqrt{E[\partial_w^2 D]_k + \epsilon}} \partial_w D$$

Note similarity to RPROP

The magnitude of the derivative is being normalized out

RMS Prop (updates are for each weight of each layer)

- Do:
 - Randomly shuffle inputs to change their order
 - Initialize: $k = 1$; for all weights w in all layers, $E[\partial_w^2 D]_k = 0$
 - For all $t = 1:B:T$ (incrementing in blocks of B inputs)
 - For all weights in all layers initialize $(\partial_w D)_k = 0$
 - For $b = 0:B - 1$
 - Compute
 - » Output $Y(X_{t+b})$
 - » Compute gradient $\frac{dDiv(Y(X_{t+b}), d_{t+b})}{dw}$
 - » Compute $(\partial_w D)_k += \frac{1}{B} \frac{dDiv(Y(X_{t+b}), d_{t+b})}{dw}$
 - update:

$$E[\partial_w^2 D]_k = \gamma E[\partial_w^2 D]_{k-1} + (1 - \gamma)(\partial_w^2 D)_k$$
$$w_{k+1} = w_k - \frac{\eta}{\sqrt{E[\partial_w^2 D]_k + \epsilon}} \partial_w D$$
 - $k = k + 1$
- Until $E(W^{(1)}, W^{(2)}, \dots, W^{(K)})$ has converged

ADAM: RMSprop with momentum

- RMS prop only considers a second-moment normalized version of the current gradient
- ADAM utilizes a smoothed version of the *momentum-augmented* gradient
- **Procedure:**
 - Maintain a running estimate of the mean derivative for each parameter
 - Maintain a running estimate of the mean squared value of derivatives for each parameter
 - Scale update of the parameter by the *inverse* of the *root mean squared* derivative

$$m_k = \delta m_{k-1} + (1 - \delta)(\partial_w D)_k$$

$$v_k = \gamma v_{k-1} + (1 - \gamma)(\partial_w^2 D)_k$$

$$\hat{m}_k = \frac{m_k}{1 - \delta^k}, \quad \hat{v}_k = \frac{v_k}{1 - \gamma^k}$$

$$w_{k+1} = w_k - \frac{\eta}{\sqrt{\hat{v}_k + \epsilon}} \hat{m}_k$$

ADAM: RMSprop with momentum

- RMS prop only considers a second-moment normalized version of the current gradient
- ADAM utilizes a smoothed version of the *momentum-augmented* gradient
- **Procedure:**
 - Maintain a running estimate of the mean derivative for each parameter
 - Maintain a running estimate of the mean squared value of the derivative for each parameter
 - Scale update of the parameter by the *inverse* of the derivative

$$m_k = \delta m_{k-1} + (1 - \delta)(\partial_w D)_k$$

$$v_k = \gamma v_{k-1} + (1 - \gamma)(\partial_w^2 D)_k$$

$$\hat{m}_k = \frac{m_k}{1 - \delta^k}, \quad \hat{v}_k = \frac{v_k}{1 - \gamma^k}$$



$$w_{k+1} = w_k - \frac{\eta}{\sqrt{\hat{v}_k + \epsilon}} \hat{m}_k$$

Ensures that the δ and γ terms do not dominate in early iterations

Other variants of the same theme


- Many:
 - Adagrad
 - AdaDelta
 - ADAM
 - AdaMax
 - ...
- Generally no explicit learning rate to optimize
 - But come with other hyper parameters to be optimized
 - Typical params:
 - RMSProp: $\eta = 0.001, \gamma = 0.9$
 - ADAM: $\eta = 0.001, \delta = 0.9, \gamma = 0.999$

Visualizing the optimizers: Beale's Function




- <http://www.denizyuret.com/2015/03/alec-radfords-animations-for.html>

Visualizing the optimizers: Long Valley



- <http://www.denizyuret.com/2015/03/alec-radfords-animations-for.html>

Visualizing the optimizers: Saddle Point



- <http://www.denizyuret.com/2015/03/alec-radfords-animations-for.html>

Story so far

- Gradient descent can be sped up by incremental updates
 - Convergence is guaranteed under most conditions
 - Learning rate must shrink with time for convergence
 - Stochastic gradient descent: update after each observation. Can be much faster than batch learning
 - Mini-batch updates: update after batches. Can be more efficient than SGD
- Convergence can be improved using smoothed updates
 - RMSprop and more advanced techniques

Moving on: Topics for the day

- Incremental updates
- Revisiting “trend” algorithms
- Generalization
- Tricks of the trade
 - Divergences..
 - Activations
 - Normalizations