



10-301/10-601 Introduction to Machine Learning

Machine Learning Department
School of Computer Science
Carnegie Mellon University


Machine Learning as Function Approximation

Matt Gormley
Lecture 2
Jan. 22, 2023

Q&A

Q: How many bonus points for HW1 did I get from the Background Test?

A: Lots of bonus points!



Q: Matt, how did you do on the Background Test?

A: Well... I certainly didn't ace it.

Q: Are you and I cut out for 10-301/601?

A: Yes! But we both have some studying to do...

Reminders

- **Homework 1: Background**
 - **Out: Wed, Jan 19 (1st lecture)**
 - **Due: Wed, Jan 26 at 11:59pm**
 - **Two parts:**
 1. written part to Gradescope
 2. programming part to Gradescope
 - **unique policies for this assignment:**
 1. **unlimited submissions** for programming (i.e. keep submitting until you get 100%)
 2. **we will grant (essentially) any and all extension requests**


Big Ideas

1. How to formalize a learning problem
2. How to learn an expert system (i.e. Decision Tree)
3. Importance of inductive bias for generalization
4. Overfitting

FUNCTION APPROXIMATION

Function Approximation

Quiz: Implement a simple function which returns $-\sin(x)$.



A few constraints are imposed:

1. You can't call any other trigonometric functions
2. You *can* call an existing implementation of $\sin(x)$ a few times (e.g. 100) to test your solution
3. You only need to evaluate it for x in $[0, 2*\pi]$

SUPERVISED MACHINE LEARNING

Medical Diagnosis

- Setting:
 - Doctor must decide whether or not patient is sick
 - Looks at attributes of a patient to make a medical diagnosis
 - (Prescribes treatment if diagnosis is positive)
- Key problem area for Machine Learning
- Potential to reshape health care

Medical Diagnosis

Interview Transcript

Date: Jan. 15, 2023

Parties: Matt Gormley and Doctor S.

Topic: Medical decision making

Medical Diagnosis Dataset

As a (supervised) binary classification task

	labels	features			
i	allergic?	hives?	sneezing?	red eye?	has cat?
1	-	Y	N	N	N
2	-	N	Y	N	N
3	+	Y	Y	N	N
4	-	Y	N	Y	Y
5	+	N	Y	Y	N

Medical Diagnosis Dataset

As a (supervised) binary classification task

		labels	features			
		allergic?	hives?	sneezing?	red eye?	has cat?
examples	i					
	1	-	Y	N	N	N
	2	-	N	Y	N	N
	3	+	Y	Y	N	N
	4	-	Y	N	Y	Y
	5	+	N	Y	Y	N

Medical Diagnosis Dataset

As a (supervised) binary classification task

		labels	features			
		allergic?	hives?	sneezing?	red eye?	has cat?
examples	i					
	1	-	Y	N	N	N
	2	-	N	Y	N	N
	3	+	Y	Y	N	N
	4	-	Y	N	Y	Y
	5	+	N	Y	Y	N

Medical Diagnosis Dataset

As a (supervised) classification task

	labels	features			
i	allergy	hives?	sneezing?	red eye?	has cat?
1	none	Y	N	N	N
2	none	N	Y	N	N
3	dust	Y	Y	N	N
4	none	Y	N	Y	Y
5	mold	N	Y	Y	N

examples

Medical Diagnosis Dataset

As a (supervised)
output

regression task

features

examples

	treatment	features			
i	cost	hives?	sneezing?	red eye?	has cat?
1	\$10	Y	N	N	N
2	\$25	N	Y	N	N
3	\$1000	Y	Y	N	N
4	\$25	Y	N	Y	Y
5	\$2000	N	Y	Y	N

Medical Diagnosis Dataset

As a (supervised) binary classification task

	labels	features			
i	allergic?	hives?	sneezing?	red eye?	has cat?
1	-	Y	N	N	N
2	-	N	Y	N	N
3	+	Y	Y	N	N
4	-	Y	N	Y	Y
5	+	N	Y	Y	N

Medical Diagnosis Dataset

Doctor diagnoses the patient as sick or not $y \in \{+, -\}$
based on attributes of the patient x_1, x_2, \dots, x_M

	y	x_1	x_2	x_3	x_4
i	allergic?	hives?	sneezing?	red eye?	has cat?
1	-	Y	N	N	N

Medical Diagnosis Dataset

Doctor diagnoses the patient as sick or not $y \in \{+, -\}$
based on attributes of the patient x_1, x_2, \dots, x_M

	y	x_1	x_2	x_3	x_4
i	allergic?	hives?	sneezing?	red eye?	has cat?
1	-	Y	N	N	N
2	-	N	Y	N	N
3	+	Y	Y	N	N
4	-	Y	N	Y	Y
5	+	N	Y	Y	N

Medical Diagnosis Dataset

Doctor diagnoses the patient as sick or not $y \in \{+, -\}$
based on attributes of the patient x_1, x_2, \dots, x_M

	y	x_1	x_2	x_3	x_4
i	allergic?	hives?	sneezing?	red eye?	has cat?
1	$y^{(1)}$ -	$x_1^{(1)}$ Y	$x_2^{(1)}$ N	$x_3^{(1)}$ N	$x_4^{(1)}$ N
2	$y^{(2)}$ -	$x_1^{(2)}$ N	$x_2^{(2)}$ Y	$x_3^{(2)}$ N	$x_4^{(2)}$ N
3	$y^{(3)}$ +	$x_1^{(3)}$ Y	$x_2^{(3)}$ Y	$x_3^{(3)}$ N	$x_4^{(3)}$ N
4	$y^{(4)}$ -	$x_1^{(4)}$ Y	$x_2^{(4)}$ N	$x_3^{(4)}$ Y	$x_4^{(4)}$ Y
5	$y^{(5)}$ +	$x_1^{(5)}$ N	$x_2^{(5)}$ Y	$x_3^{(5)}$ Y	$x_4^{(5)}$ N

Medical Diagnosis Dataset

Doctor diagnoses the patient as sick or not $y \in \{+, -\}$
based on attributes of the patient x_1, x_2, \dots, x_M

	y	x_1	x_2	x_3	x_4	
i	allergic?	hives?	sneezing?	red eye?	has cat?	
1	$y^{(1)}$ -	$x_1^{(1)}$ Y	$x_2^{(1)}$ N	$x_3^{(1)}$ N	$x_4^{(1)}$ N	$\mathbf{x}^{(1)}$
2	$y^{(2)}$ -	$x_1^{(2)}$ N	$x_2^{(2)}$ Y	$x_3^{(2)}$ N	$x_4^{(2)}$ N	$\mathbf{x}^{(2)}$
3	$y^{(3)}$ +	$x_1^{(3)}$ Y	$x_2^{(3)}$ Y	$x_3^{(3)}$ N	$x_4^{(3)}$ N	$\mathbf{x}^{(3)}$
4	$y^{(4)}$ -	$x_1^{(4)}$ Y	$x_2^{(4)}$ N	$x_3^{(4)}$ Y	$x_4^{(4)}$ Y	$\mathbf{x}^{(4)}$
5	$y^{(5)}$ +	$x_1^{(5)}$ N	$x_2^{(5)}$ Y	$x_3^{(5)}$ Y	$x_4^{(5)}$ N	$\mathbf{x}^{(5)}$

$N = 5$ training examples

$M = 4$ attributes


ML as Function Approximation

Chalkboard

– ML as Function Approximation


- Problem setting
- Input space
- Output space
- Unknown target function
- Hypothesis space
- Training examples
- Goal of Learning

Supervised Machine Learning



Medical Diagnosis Dataset

Doctor diagnoses the patient as sick or not $y \in \{+, -\}$ based on attributes of the patient x_1, x_2, \dots, x_M



	y	x_1	x_2	x_3	x_4	
i	allergic?	hives?	sneezing?	red eye?	has cat?	
1	$y^{(1)} -$	$x_1^{(1)} Y$	$x_2^{(1)} N$	$x_3^{(1)} N$	$x_4^{(1)} N$	$\mathbf{x}^{(1)}$
2	$y^{(2)} -$	$x_1^{(2)} N$	$x_2^{(2)} Y$	$x_3^{(2)} N$	$x_4^{(2)} N$	$\mathbf{x}^{(2)}$
3	$y^{(3)} +$	$x_1^{(3)} Y$	$x_2^{(3)} Y$	$x_3^{(3)} N$	$x_4^{(3)} N$	$\mathbf{x}^{(3)}$
4	$y^{(4)} -$	$x_1^{(4)} Y$	$x_2^{(4)} N$	$x_3^{(4)} Y$	$x_4^{(4)} Y$	$\mathbf{x}^{(4)}$
5	$y^{(5)} +$	$x_1^{(5)} N$	$x_2^{(5)} Y$	$x_3^{(5)} Y$	$x_4^{(5)} N$	$\mathbf{x}^{(5)}$

Red arrows labeled C^* point from the x_1 column to the y column for each row.

$N = 5$ training examples

$M = 4$ attributes

Example hypothesis function:

$$h(\mathbf{x}) = \begin{cases} + & \text{if sneezing} = Y \\ - & \text{otherwise} \end{cases}$$

Supervised Machine Learning

- **Problem Setting**

- Set of possible inputs, $\mathbf{x} \in \mathcal{X}$ (all possible patients)
- Set of possible outputs, $y \in \mathcal{Y}$ (all possible diagnoses)
- Exists an unknown target function, $c^* : \mathcal{X} \rightarrow \mathcal{Y}$
(the doctor's brain)
- Set, \mathcal{H} , of candidate hypothesis functions, $h : \mathcal{X} \rightarrow \mathcal{Y}$
(all possible decision trees)

- **Learner is given** N training examples

$$D = \{(\mathbf{x}^{(1)}, y^{(1)}), (\mathbf{x}^{(2)}, y^{(2)}), \dots, (\mathbf{x}^{(N)}, y^{(N)})\}$$

where $y^{(i)} = c^*(\mathbf{x}^{(i)})$

(history of patients and their diagnoses)

- **Learner produces** a hypothesis function, $\hat{y} = h(\mathbf{x})$, that best approximates unknown target function $y = c^*(\mathbf{x})$ on the training data

Supervised Machine Learning

- **Problem Setting**

- Set of possible inputs, $\mathbf{x} \in \mathcal{X}$ (all possible patients)
- Set of possible outputs, $y \in \mathcal{Y}$ (all possible diagnoses)
- Exists an unknown target function, $c^* : \mathcal{X} \rightarrow \mathcal{Y}$
(the doctor's brain)
- Set, \mathcal{H} , of candidate functions
(all possible decisions)

- **Learner is given**

$D = \{(\mathbf{x}^{(1)}, y^{(1)}), (\mathbf{x}^{(2)}, y^{(2)}), \dots, (\mathbf{x}^{(n)}, y^{(n)})\}$
where $y^{(i)} = c^*(\mathbf{x}^{(i)})$

(history of patient)

- **Learner produces** a hypothesis h that best approximates $c^*(\mathbf{x})$ on the training data

Two important settings we'll consider:

1. **Classification:** the possible outputs are **discrete**
2. **Regression:** the possible outputs are **real-valued**

Supervised Machine Learning

- **Problem Setting**

- Set of possible inputs, $\mathbf{x} \in \mathcal{X}$ (all values in $[0, 2\pi]$)
- Set of possible outputs, $y \in \mathcal{Y}$ (all values in $[-1, 1]$)
- Exists an unknown target function, $c^* : \mathcal{X} \rightarrow \mathcal{Y}$
($c^*(x) = \sin(x)$)
- Set, \mathcal{H} , of candidate hypothesis functions, $h : \mathcal{X} \rightarrow \mathcal{Y}$
(all possible piecewise linear functions)

- **Learner is given** N training examples

$$D = \{(\mathbf{x}^{(1)}, y^{(1)}), (\mathbf{x}^{(2)}, y^{(2)}), \dots, (\mathbf{x}^{(N)}, y^{(N)})\}$$


where $y^{(i)} = c^*(\mathbf{x}^{(i)})$

(true values of $\sin(x)$ for a few random x 's)

- **Learner produces** a hypothesis function, $\hat{y} = h(x)$, that best approximates unknown target function $y = c^*(x)$ on the training data

EVALUATION OF MACHINE LEARNING ALGORITHM

Supervised Machine Learning



Evaluation of ML Algorithms

- **Definition: loss function, $\ell : \mathcal{Y} \times \mathcal{Y} \rightarrow \mathbb{R}$**
 - Defines how “bad” predictions, $\hat{y} = h(\mathbf{x})$, are compared to the true labels, $y = c^*(\mathbf{x})$
 - Common choices
 1. Squared loss (for regression): $\ell(y, \hat{y}) = (y - \hat{y})^2$
 2. Binary or 0-1 loss (for classification):


$$\ell(y, \hat{y}) = \mathbb{1}(y \neq \hat{y})$$

- Error rate:

$$err(h, \mathcal{D}) = \frac{1}{N} \sum_{n=1}^N \mathbb{1}(y^{(n)} \neq \hat{y}^{(n)})$$

- Q: How do we evaluate a machine learning algorithm?
A: Check its error rate on a separate test dataset, $\mathcal{D}_{\text{test}}$

Supervised Machine Learning



Error Rate

- Consider a hypothesis h its...
 - ... error rate over all training data: $\text{error}(h, D_{\text{train}})$
 - ... error rate over all test data: $\text{error}(h, D_{\text{test}})$
 - ... true error over all data: $\text{error}_{\text{true}}(h)$



This is the quantity we care most about!
But, in practice, $\text{error}_{\text{true}}(h)$ is **unknown**.

Majority Vote Classifier Example

Dataset:

Output Y, Attributes A and B

Y	A	B
-	1	0
-	1	0
+	1	0
+	1	0
+	1	1
+	1	1
+	1	1
+	1	1

In-Class Exercise

What is the **training error** (i.e. *error rate on the training data*) of the **majority vote classifier** on this dataset?

Choose one of:
 $\{0/8, 1/8, 2/8, \dots, 8/8\}$

LEARNING ALGORITHMS FOR SUPERVISED CLASSIFICATION

Algorithms for Classification

Algorithm 1 majority vote: predict the most common label in the training dataset

	y	x ₁	x ₂	x ₃	x ₄
predictions	allergic?	hives?	sneezing?	red eye?	has cat?
-	-	Y	N	N	N
-	-	N	Y	N	N
-	+	Y	Y	N	N
-	-	Y	N	Y	Y
-	+	N	Y	Y	N

Algorithms for Classification

Algorithm 2 memorizer: if a set of features exists in the training dataset, predict its corresponding label; otherwise, predict a random label

	y	x ₁	x ₂	x ₃	x ₄
predictions	allergic?	hives?	sneezing?	red eye?	has cat?
-	-	Y	N	N	N
-	-	N	Y	N	N
+	+	Y	Y	N	N
-	-	Y	N	Y	Y
+	+	N	Y	Y	N

The memorizer always gets zero training error!

Algorithms for Classification

Question:

Is the
memorizer
algorithm
learning?

Answer:

ML as Function Approximation

Chalkboard

- Algorithm 1: Majority Vote
- Algorithm 2: Memorizer
- Aside: Does memorization = learning?

Algorithms for Classification

Algorithm 3 decision stump: based on a single feature, x_d , predict the most common label in the training dataset among all data points that have the same value for x_d

	y	x_1	x_2	x_3	x_4
predictions	allergic?	hives?	sneezing?	red eye?	has cat?
-	-	Y	N	N	N
+	-	N	Y	N	N
+	+	Y	Y	N	N
-	-	Y	N	Y	Y
+	+	N	Y	Y	N

Nonzero training error, but perhaps still better than the memorizer

Example decision stump:
$$h(\mathbf{x}) = \begin{cases} + & \text{if sneezing} = Y \\ - & \text{otherwise} \end{cases}$$

ML as Function Approximation

Chalkboard

- Algorithm 2: Decision Stump
- Algorithm 3 (preview): Decision Tree

Tree to Predict C-Section Risk

Learned from medical records of 1000 women (Sims et al., 2000)

Negative examples are C-sections

[833+,167-] .83+ .17-

Fetal_Presentation = 1: [822+,116-] .88+ .12-

| Previous_Csection = 0: [767+,81-] .90+ .10-

| | Primiparous = 0: [399+,13-] .97+ .03-

| | Primiparous = 1: [368+,68-] .84+ .16-

| | | Fetal_Distress = 0: [334+,47-] .88+ .12-

| | | | Birth_Weight < 3349: [201+,10.6-] .95+ .05-

| | | | Birth_Weight >= 3349: [133+,36.4-] .78+ .22-

| | | Fetal_Distress = 1: [34+,21-] .62+ .38-

| Previous_Csection = 1: [55+,35-] .61+ .39-

Fetal_Presentation = 2: [3+,29-] .11+ .89-

Fetal_Presentation = 3: [8+,22-] .27+ .73-