

## Erratum: Lateralization of complex binaural stimuli: A weighted-image model [J. Acoust. Soc. Am. 84, 156–165 (1988)]

Richard M. Stern and Andrew S. Zeiberg

*Department of Electrical and Computer Engineering and Biomedical Engineering Program,  
Carnegie Mellon University, Pittsburgh, Pennsylvania 15213*

Constantine Trahiotis

*Center for Neurological Sciences and Department of Surgery (Otolaryngology), University of Connecticut  
Health Center, Farmington, Connecticut 06032*

(Received 4 June 1991; accepted for publication 4 June 1991)

PACS numbers: 43.66.Ba, 43.66.Qp, 43.66.Pn, 43.10.Vx [WAY]

There are two typographical errors in the article as it was published.

The unnumbered equation immediately preceding Eq. (1) was published with a sign omitted and should read

$$\tau = T_s + (\phi_s/2\pi f) + (k/f).$$

A more serious error was introduced in typesetting Eq. (4).

This equation should read

$$\omega_i = \left\{ \sigma_i^2 + K_0 \left[ \sum_k p(\tau(i, f_k), f_k) q(f_k) \log \left( \frac{f_U}{f_L} \right) \right]^{-1} \right\}^{-1}. \quad (4)$$

The authors thank T. M. Shackleton for calling our attention to the error in Eq. (4) and apologize for any difficulties that these errors may have caused.

## Erratum: "Evaluating the articulation index for auditory-visual input" [J. Acoust. Soc. Am. 89, 2952–2960 (1991)]

Ken W. Grant and Louis D. Braida

*Research Laboratory of Electronics, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139*

(Received 19 June 1991; accepted for publication 19 June 1991)

PACS numbers: 43.71.Gv, 43.71.Ma, 43.71.Es, 43.10.Vx

There is an error in the first panel of Fig. 9 showing the results for talker WR. The filled squares should be labeled WR-WBS while the open circles should be labeled WR-FIL. We apologize for any inconvenience caused by this error.