

## UNIT 7C


### Data Representation: Images and Sound

15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

1

## Pixels

- An image is stored in a computer as a sequence of *pixels*, picture elements.



15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

2


# Resolution

- The resolution of an image is the number of pixels used to represent the image (e.g. 1024 X 768).
- Each pixel represents the average color in that region.
- The higher the resolution, the more accurate the image will appear.




# Vector vs. Bitmap

- There are two major ways to store images:
  - Vector  
(a series of line segments)
  - Bitmap  
(a series of pixels)



## Storing Bitmap Images

- In bitmapped images, each pixel is represented in computer memory in binary, just like other data types.
- If pixels of an image are black or white only, then we only need 1 bit per pixel to store the image.




15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

5

## Grayscale Images

- Grayscale images contain pixels that are various shades of gray, from black (maximum gray) to white (minimum gray).
- If there are 256 levels of gray for pixels, we can represent each pixel using 8 bits.  
11111111 = white  
: (shades of gray)  
00000000 = black




15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

6

## 256-color images (8-bit color)

- Each pixel is represented with a 8-bit value that is an index into a table of 256 colors.



0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95
96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111
112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127
128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143
144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159
160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175
176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191
192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207
208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223
224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239
240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255


15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

7

## RGB-color images (24-bit color)

- Colors are represented as mixtures of red (R), green (G), and blue (B).
- Each pixel is represented using three 8-bit values, one for each color component.
- This representation allows for  $2^{24} = 16,777,216$  different colors.
- This representation is also called “true color”.


(image from Wikipedia)



15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

8

## RGB example



15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

9

## Comparing Representations

- If an image has a resolution of 640 X 480 (307,200 pixels), how many bytes does each representation require?
  - B&W 38,400 bytes
  - 8-bit grayscale 307,200 bytes
  - 256-color (8-bit color) 307,200 bytes
  - True color (RGB) 921,600 bytes
- A single RGB screen image of size 1600 X 1200 requires over 5.76 million bytes!

15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

10


# GIF

- Developed by CompuServe in the late 1980s to represent 8-bit images efficiently.
- Each pixel is an 8-bit value, mapping to a table of 256 24-bit RGB colors.
- Useful for representing images with fewer colors or large areas of color like company logos.




# GIF compression

- A lossless compression technique is used for GIF files called run-length encoding.
- Instead of storing the 8-bit value for every pixel, we store an 8-bit value along with how many of these occur in a row (run).
- This saves a lot when there are large runs of the same color.



Color, Run, Color, Run, ...  
 255,1,0,3,255,1  
 255,4,0,1  
 255,1,0,4  
 0,1,255,3,0,1  
 0,1,255,3,0,1  
 255,1,0,4  
 (Colors: 0=Black, 255=White)

## Comparison



GIF	BMP
2 bytes	16 bytes
2 bytes	16 bytes
6 bytes	16 bytes
6 bytes	16 bytes
6 bytes	16 bytes
10 bytes	16 bytes
10 bytes	16 bytes
6 bytes	16 bytes
6 bytes	16 bytes
6 bytes	16 bytes
2 bytes	16 bytes
<u>2 bytes</u>	<u>16 bytes</u>
64 bytes	192 bytes

15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

13

## JPEG (JPG)

- A lossy compression technique used generally for photographic images.
  - Uses a variant of Huffman encoding.
- Supports varying levels of compression.



Higher quality  
Compression 2.6:1  
(images from Wikipedia)



Medium quality  
Compression 23:1




Lowest quality  
Compression 144:1

15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

14

# Sound

- When an instrument is played or a voice speaks, changes occur in air pressure which our ears interpret as sound.




# Sampling

- A sound is represented digitally by sampling an electronic version of the audio signal.
- The amplitude of the signal is measured (sampled) at equally-spaced time intervals.
- The amplitude axis is divided into equally-spaced intervals depending on how many bits we want to store per sample.



# Sampling



15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

17

# Sampling

- In order to reproduce the audio waveform as accurately as possible, we need to increase the sampling rate (samples per second) and the number of amplitude levels (bits per sample).
- Note in the previous picture how some of the samples had to be moved up or down to match an amplitude level and some finer changes in the sound signal could be missed if the sampling rate is too low.

15110 Principles of Computing,  
Carnegie Mellon University - CORTINA

18

# Sampling

- Digital recordings are typically sampled at 44,100 samples per second (Hertz – Hz).
  - This is due to the “sampling theorem” that states that the sampling rate must be at least twice the highest frequency in the sound, and humans can hear up to approx. 20,000 Hz.
- For accurate amplitude readings, sound is often sampled at 16-bits per sample (so there are 65,536 amplitude levels that can be measured).
  - Some systems sample at finer amplitude levels (e.g. 24 bits per sample)

# MP3

- MP3 is a lossy compression technique.
- This format takes advantage of some facts about human hearing.
  - We can't hear certain sounds (very low or very high frequencies).
  - Our hearing is better in mid range frequencies than on the low and high ends.
  - If a loud and soft sound play at the same time, we can't hear the soft sound.
- MP3 filters the audio signal based on these properties.

## MP3 Compression

- Like JPEG, MP3 has various levels of compression:

Bit Rate	Compression Ratio	Comments
256Kbps	5:1	Supreme (near best)
192Kbps	7:1	Excellent (better)
128Kbps	11:1	CD quality (good)
96Kbps	19:1	Near CD quality (fair)
64Kbps	22:1	FM quality (poor)

- MP3 also has Variable Bit Rate (VBR) since compression ability can vary at different segments of the digital recording.