

Graduate AI

Lecture 23: Social Choice II

Teachers:

Zico Kolter

Ariel Procaccia (this time)

REMINDER: VOTING

- Set of voters $N = \{1, \dots, n\}$
- Set of alternatives A , $|A| = m$
- Each voter has a ranking over the alternatives
- $x \succ_i y$ means that voter i prefers x to y
- Preference profile $\vec{\succ} =$ collection of all voters' rankings
- Voting rule $f =$ function from preference profiles to alternatives
- Important: so far voters were honest!

MANIPULATION

- Using Borda count
- Top profile: b wins
- Bottom profile: a wins
- By changing his vote, voter 3 achieves a better outcome!

1	2	3
b	b	a
a	a	b
c	c	c
d	d	d

1	2	3
b	b	a
a	a	c
c	c	d
d	d	b

BORDA RESPONDS TO CRITICS

My scheme is
intended only for
honest men!



Random 18th
Century
French Dude

STRATEGYPROOFNESS

- A voting rule is **strategyproof (SP)** if a voter can never benefit from lying about his preferences:

$$\forall \vec{z}, \forall i \in N, \forall z'_i, f(\vec{z}) \succsim_i f(z'_i, \vec{z}_{-i})$$

- **Poll 1:** Maximum value of m for which plurality is SP?

1. 2
2. 3
3. 4
4. ∞



STRATEGYPROOFNESS

- A voting rule is **dictatorial** if there is a voter who always gets his most preferred alternative
- A voting rule is **constant** if the same alternative is always chosen
- Constant functions and dictatorships are SP



Dictatorship



Constant function

GIBBARD-SATTERTHWAITE

- A voting rule is **onto** if any alternative can win
- **Theorem (Gibbard-Satterthwaite):**
If $m \geq 3$ then any voting rule that is SP and onto is dictatorial
- In other words, any voting rule that is onto and nondictatorial is manipulable



Gibbard



Satterthwaite

CIRCUMVENTING G-S

- Restricted preferences (this lecture)
- Money \Rightarrow mechanism design (not covered)
- Computational complexity (this lecture)




SINGLE PEAKED PREFERENCES

- We want to choose a location for a public good (e.g., library) on a street
- Alternatives = possible locations
- Each voter has an ideal location (peak)
- The closer the library is to a voter's peak, the happier he is



SINGLE PEAKED PREFERENCES

- **Leftmost point mechanism:** return the leftmost point
- **Midpoint mechanism:** return the average of leftmost and rightmost points
- **Poll 2:** Which mechanism is SP?
 1. Only leftmost point
 2. Only midpoint
 3. Both
 4. Neither




THE MEDIAN

- Select the median peak
- The median is a Condorcet winner!
- The median is onto
- The median is nondictatorial



THE MEDIAN IS SP



COMPLEXITY OF MANIPULATION

- Manipulation is always possible in theory
- But can we design voting rules where it is difficult in practice?
- Are there “reasonable” voting rules where manipulation is a hard computational problem? [Bartholdi et al. 1989]



THE COMPUTATIONAL PROBLEM

- f -MANIPULATION problem:
 - Given votes of nonmanipulators and a preferred alternative p
 - Can manipulator cast vote that makes p **uniquely** win under f ?
- Example: Borda, $p = a$

1	2	3
b	b	
a	a	
c	c	
d	d	

1	2	3
b	b	a
a	a	c
c	c	d
d	d	b

A GREEDY ALGORITHM

- Rank p in first place
- While there are unranked alternatives:
 - If there is an alternative that can be placed in next spot without preventing p from winning, place this alternative
 - Otherwise return false



EXAMPLE: BORDA

1	2	3	1	2	3	1	2	3
<i>b</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>a</i>
<i>a</i>	<i>a</i>		<i>a</i>	<i>a</i>	<i>b</i>	<i>a</i>	<i>a</i>	<i>c</i>
<i>c</i>	<i>c</i>		<i>c</i>	<i>c</i>		<i>c</i>	<i>c</i>	
<i>d</i>	<i>d</i>		<i>d</i>	<i>d</i>		<i>d</i>	<i>d</i>	

1	2	3	1	2	3	1	2	3
<i>b</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>a</i>
<i>a</i>	<i>a</i>	<i>c</i>	<i>a</i>	<i>a</i>	<i>c</i>	<i>a</i>	<i>a</i>	<i>c</i>
<i>c</i>	<i>c</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>d</i>	<i>c</i>	<i>c</i>	<i>d</i>
<i>d</i>	<i>d</i>		<i>d</i>	<i>d</i>		<i>d</i>	<i>d</i>	<i>b</i>



EXAMPLE: COPELAND

1	2	3	4	5
<i>a</i>	<i>b</i>	<i>e</i>	<i>e</i>	<i>a</i>
<i>b</i>	<i>a</i>	<i>c</i>	<i>c</i>	
<i>c</i>	<i>d</i>	<i>b</i>	<i>b</i>	
<i>d</i>	<i>e</i>	<i>a</i>	<i>a</i>	
<i>e</i>	<i>c</i>	<i>d</i>	<i>d</i>	

Preference profile

	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>
<i>a</i>	-	2	3	5	3
<i>b</i>	3	-	2	4	2
<i>c</i>	2	2	-	3	1
<i>d</i>	0	0	1	-	2
<i>e</i>	2	2	3	2	-

Pairwise elections



EXAMPLE: COPELAND

1	2	3	4	5
<i>a</i>	<i>b</i>	<i>e</i>	<i>e</i>	<i>a</i>
<i>b</i>	<i>a</i>	<i>c</i>	<i>c</i>	<i>c</i>
<i>c</i>	<i>d</i>	<i>b</i>	<i>b</i>	
<i>d</i>	<i>e</i>	<i>a</i>	<i>a</i>	
<i>e</i>	<i>c</i>	<i>d</i>	<i>d</i>	

Preference profile

	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>
<i>a</i>	-	2	3	5	3
<i>b</i>	3	-	2	4	2
<i>c</i>	2	3	-	4	2
<i>d</i>	0	0	1	-	2
<i>e</i>	2	2	3	2	-

Pairwise elections



EXAMPLE: COPELAND

1	2	3	4	5
<i>a</i>	<i>b</i>	<i>e</i>	<i>e</i>	<i>a</i>
<i>b</i>	<i>a</i>	<i>c</i>	<i>c</i>	<i>c</i>
<i>c</i>	<i>d</i>	<i>b</i>	<i>b</i>	<i>d</i>
<i>d</i>	<i>e</i>	<i>a</i>	<i>a</i>	
<i>e</i>	<i>c</i>	<i>d</i>	<i>d</i>	

Preference profile

	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>
<i>a</i>	-	2	3	5	3
<i>b</i>	3	-	2	4	2
<i>c</i>	2	3	-	4	2
<i>d</i>	0	1	1	-	3
<i>e</i>	2	2	3	2	-

Pairwise elections



EXAMPLE: COPELAND

1	2	3	4	5
<i>a</i>	<i>b</i>	<i>e</i>	<i>e</i>	<i>a</i>
<i>b</i>	<i>a</i>	<i>c</i>	<i>c</i>	<i>c</i>
<i>c</i>	<i>d</i>	<i>b</i>	<i>b</i>	<i>d</i>
<i>d</i>	<i>e</i>	<i>a</i>	<i>a</i>	<i>e</i>
<i>e</i>	<i>c</i>	<i>d</i>	<i>d</i>	

Preference profile

	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>
<i>a</i>	-	2	3	5	3
<i>b</i>	3	-	2	4	2
<i>c</i>	2	3	-	4	2
<i>d</i>	0	1	1	-	3
<i>e</i>	2	3	3	2	-

Pairwise elections



EXAMPLE: COPELAND

1	2	3	4	5
<i>a</i>	<i>b</i>	<i>e</i>	<i>e</i>	<i>a</i>
<i>b</i>	<i>a</i>	<i>c</i>	<i>c</i>	<i>c</i>
<i>c</i>	<i>d</i>	<i>b</i>	<i>b</i>	<i>d</i>
<i>d</i>	<i>e</i>	<i>a</i>	<i>a</i>	<i>e</i>
<i>e</i>	<i>c</i>	<i>d</i>	<i>d</i>	<i>b</i>

Preference profile

	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>
<i>a</i>	-	2	3	5	3
<i>b</i>	3	-	2	4	2
<i>c</i>	2	3	-	4	2
<i>d</i>	0	1	1	-	3
<i>e</i>	2	3	3	2	-

Pairwise elections




WHEN DOES THE ALG WORK?

- Theorem [Bartholdi et al., SCW 89]:


Fix $i \in N$ and the votes of other voters. Let f be a rule s.t. \exists function $s(\prec_i, x)$ such that:

1. For every \prec_i , f chooses a alternative that **uniquely** maximizes $s(\prec_i, x)$
2. $\{y: y \prec_i x\} \subseteq \{y: y \prec'_i x\} \Rightarrow s(\prec_i, x) \leq s(\prec'_i, x)$

Then the algorithm
always decides
 f -MANIPULATION
correctly




Does Borda
count have
such a score
function?




PROOF OF THEOREM

- Suppose the algorithm failed, producing a partial ranking \prec_i
- Assume for contradiction \prec'_i makes p win
- $U \leftarrow$ alternatives not ranked in \prec_i
- $u \leftarrow$ highest ranked alternative in U according to \prec'_i
- Complete \prec_i by adding u first, then others arbitrarily



PROOF OF THEOREM

- Property 2 $\Rightarrow s(\prec_i, p) \geq s(\prec'_i, p)$
- Property 1 and \prec' makes p the winner $\Rightarrow s(\prec'_i, p) > s(\prec'_i, u)$
- Property 2 $\Rightarrow s(\prec'_i, u) \geq s(\prec_i, u)$
- Conclusion: $s(\prec_i, p) > s(\prec_i, u)$, so the alg could have inserted u next ■




HARD-TO-MANIPULATE RULES


- Copeland with second order tie breaking [Bartholdi et al. 1989]
- STV [Bartholdi and Orlin 1991]
- Ranked Pairs [Xia et al. 2009]
 - Sort pairwise comparisons by strength
 - Lock in pairwise comparisons in that order, unless a cycle is created, in which case the opposite edge is locked in
 - Return the alternative at the top of the induced order




EXAMPLE: RANKED PAIRS




EXAMPLE: RANKED PAIRS




EXAMPLE: RANKED PAIRS




EXAMPLE: RANKED PAIRS




EXAMPLE: RANKED PAIRS



EXAMPLE: RANKED PAIRS



EXAMPLE: RANKED PAIRS



SUMMARY

- Definitions, theorems, algorithms:
 - Strategyproof voting rules
 - The Gibbard-Satterthwaite Theorem
 - Greedy manipulation algorithm
- Big ideas:
 - Voting rules are provably manipulable
 - Circumvent via restricted preferences
 - Circumvent via computational complexity

