

Learning Objectives

- To practice computing HMM probabilities
- To run Predict and Observe steps in the forward algorithm

Q1. Hidden Markov Models

Below is the Weather HMM from class. We want to predict the weather given both a distribution for weather today given weather yesterday (transition model) and weather today given people using umbrella today (sensor model). We want to compute the weather on day 4 $P(X_4|e_1, e_2, e_3, e_4)$ assuming that we've witnessed umbrellas each day (all the evidence is True that there is an umbrella). Note that the states are the weather $X_i = W_i$ and the evidence is the umbrella $e_i = U_i$.


An HMM is defined by:

- Initial distribution: $P(X_1)$
- Transition model: $P(X_t | X_{t-1})$
- Sensor model: $P(E_t | X_t)$

W_{t-1}	$P(W_t W_{t-1})$	
	sun	rain
sun	0.9	0.1
rain	0.3	0.7

W_t	$P(U_t W_t)$	
	true	false
sun	0.2	0.8
rain	0.9	0.1

Given $P(X_1) = \{\text{sun:0.5, rain:0.5}\}$
 Compute $P(X_4=\text{sun} \mid e_4=e_3=e_2=e_1=\text{True})$



(a) OBSERVE! We are given the initial distribution $P(X_1)$. Now we need to Observe the evidence $e_1 = True$ and compute $P(X_1|e_1)$. We can derive the equation for $P(X_1|e_1)$ directly using Bayes Rule with the probabilities $P(e_1|X_1)$ and $P(X_1)$ or by computing the joint $P(X_1, e_1)$ and normalizing $Z = P(e_1)$. Write the equation below and then compute the probability table $P(X_1|e_1)$.

$P(X_1|e_1) =$

Table $P(X_1|e_1)$

(b) PREDICT! Now we have $P(X_1|e_1)$, and we want to Predict $P(X_2|e_1)$. We can do this by summing over X_1 : $P(X_2|e_1) = \sum_{x \in X_1} P(X_2|x)P(x|e_1)$. Rewrite this equation below and then compute the probability table using your answer above and the HMM model tables.

$P(X_2|e_1) =$

Table $P(X_2|e_1)$


An HMM is defined by:

- Initial distribution: $P(X_1)$
- Transition model: $P(X_t | X_{t-1})$
- Sensor model: $P(E_t | X_t)$

W_{t-1}	$P(W_t W_{t-1})$	
	sun	rain
sun	0.9	0.1
rain	0.3	0.7

W_t	$P(U_t W_t)$	
	true	false
sun	0.2	0.8
rain	0.9	0.1

Given $P(X_1) = \{\text{sun}:0.5, \text{rain}:0.5\}$
 Compute $P(X_4=\text{sun} \mid e_4=e_3=e_2=e_1=\text{True})$



- (c) OBSERVE! Now that we've predicted X_2 , we can update the probability given new evidence $e_2 = \text{True}$. Use the Observation update to write the formula for $P(X_2|e_1, e_2)$ using $P(X_2|e_1)$ above and then solve.

$$P(X_2|e_1, e_2) =$$

Table $P(X_2|e_1, e_2)$

- (d) PREDICT! Compute $P(X_3|e_1, e_2)$ using the transition probabilities and $P(X_2|e_1, e_2)$ above. Write this equation below and then compute the probability table.

$$P(X_3|e_1, e_2) =$$

Table $P(X_3|e_1, e_2)$

- (e) OBSERVE! Now that we've predicted X_3 , we can update the probability given new evidence $e_3 = \text{True}$. Use the Observation update to write the formula for $P(X_3|e_1, e_2, e_3)$ using $P(X_3|e_1, e_2)$ above and then solve.

$$P(X_3|e_1, e_2, e_3) =$$

Table $P(X_3|e_1, e_2, e_3)$

- (f) PREDICT! Compute $P(X_4|e_1, e_2, e_3)$ using the transition probabilities and $P(X_3|e_1, e_2, e_3)$ above. Write the equation below and then compute the probability table.

$$P(X_4|e_1, e_2, e_3) =$$

Table $P(X_4|e_1, e_2, e_3)$

- (g) OBSERVE! Finally, we can update the probability of X_4 given new evidence $e_4 = \text{True}$ (and the rest of the evidence). Use the Observation update rule to write the formula for $P(X_4|e_1, e_2, e_3, e_4)$ using $P(X_4|e_1, e_2, e_3)$ above and then solve for the new probability table.

$$P(X_4|e_1, e_2, e_3, e_4) =$$

Table $P(X_4|e_1, e_2, e_3, e_4)$