

Assignment 1

Variations on a Theme

15-414: Bug Catching: Automated Program Verification

Due 23:59pm, Friday, February 3, 2023
65 pts

This assignment is due on the above date and it must be submitted electronically on Gradescope. Please carefully read the policies on collaboration and credit on the course web pages at <http://www.cs.cmu.edu/~15414/assignments.html>.

Working With Why3

Before you begin this assignment, you will need to install Why3 and the relevant provers. To do so, please follow the installation instructions on the course website (<https://www.cs.cmu.edu/~15414/misc/installation.pdf>).

To help you out with Why3, we've provided some useful commands below:

- To verify using the command line, run `why3 prove -P <prover> <filename>.mlw`. This is useful for simple programs where more fine-grained control over the provers is unnecessary, as well as for intermediate checking. However, your final submission should include proof sessions as created by the IDE.
- To open the Why3 IDE, run `why3 ide <filename>.mlw`.
 - When you attempt to prove the goals in a file `filename.mlw` using the IDE, a folder called `filename` will be created, containing a *proof session*. Make sure that you always save the current proof session when you exit the IDE. To check your session after the fact, you can run the following two commands:

```
why3 replay filename # should print that everything replayed OK
why3 session info --stats filename # prints a summary of the goals
```
 - Although it's not possible to modify code directly from the IDE, if you make changes in a different editor (VSCode, Atom, etc.), you can refresh the IDE session with `Ctrl+R`.

What To Hand In

You should hand in the file `asst1.zip`, which you can generate by running `make`. This will include all of the raw `mlw` files, as well as the proof sessions created by the IDE.

1 The Fine Print (10 pts)

Unlike software license agreements that nobody ever reads, program contracts should be studied carefully because they might not mean what you think at first and you may be left holding the bag. The following is an *incorrect* attempt to implement an iterative summation function (which you can find in the file `sum.mlw`).

```
1 module Sum
2
3   use int.Int
4
5   function sum (n : int) : int
6     axiom sum0: sum 0 = 0
7     axiom sumn: forall n. n > 0 -> sum n = n + sum (n - 1)
8
9     let sum(n:int) : int =
10       ensures { result = sum n }
11       let ref i = 0 in
12       let ref r = 0 in
13       while i < n do
14         invariant { r = sum i }
15         variant { n-i }
16         r <- r + i ;
17         i <- i + 1 ;
18       done ;
19       r
20
21 end
```

Task 1 (10 pts). In each of the following sub-tasks you should change the contracts, *and only the contracts* (except in part 4) of the above incorrect implementation, so that the command

```
why3 prove -P alt-ergo sum.mlw
```

succeeds in verifying the code.

1. You may remove two lines.
2. You may add disjunction \vee and truth `true`, as many copies as you wish.
3. You may add comparison $<$ between variables and implication \rightarrow , as many copies as you wish.
4. You may swap any two lines (not restricted to contracts), and add at most two contracts.

Name your functions `sum_i` for $1 \leq i \leq 4$ and place them in the file `sum.mlw`.

2 Assignment 0, revisited (10 pts)

In `mystery3.mlw`, you will find a modified version of the function from the previous assignment.

```

1 module Mystery3
2   use int.Int
3
4   function abs (n : int) : int = if n >= 0 then n else (-n)
5
6   let g (n : int) : int =
7     ensures { result = (abs n) + 1 }
8     let ref a = 0 in
9     let ref b = 1 in
10    let ref c = 0 in
11    let sign = if n >= 0 then 1 else (-1) in
12    while c < n do
13      a <- a + 2*(n - c) - 1;
14      b <- b + 2*c + 2;
15      c <- c + 1
16    done;
17    b-a
18
19 end

```

Your goal is to modify this function so that it satisfies its contract as-is, without adding a precondition or changing the postcondition.

Task 2 (5 pts). Update the implementation so that it satisfies its contract. You can change the loop guard, and the right-hand side of assignments **that are already in the loop body**, but you may not add new statements, declare new variable bindings, or change the value `b-a` that is returned by the function.

Task 3 (5 pts). Change the loop invariants so that the function `g` verifies. You may change them however you like, but do not modify the pre and postconditions on `g`.

Place this function in the file `mystery3.mlw`.

Note: You should feel free to use the invariants from your assignment 0 as a starting point. On January 30 (i.e., after the late handin deadline), a reference solution to assignment 0 will be released, and you may also work from the invariants in that solution.

3 Relaxed Requirements (20 pts)

In this problem we ask you to refactor the implementation of integer sets using bitvectors covered in lecture (and included in `bitset.mlw`).

Task 4 (20 pts). Modify the contracts on the test function to remove the precondition. The resulting contract should look like the following:

```

1   let test (x : int) (s : bset) : bool =
2     ensures { result <-> Fset.mem x s.model }
3     ensures { s.model == (old s.model) }

```

Then, change the data structure invariants, and if needed the implementation of `test`, so that `Why3` is able to verify the `Bitset` module.

Place your implementation in the file `bitset.mlw`.

4 Differentiate Discretely (25 pts)

Discrete differentiation is an operation that replaces a sequence such as 2, 5, 10, 17, 26 by the differences between consecutive elements, 3, 5, 7, 9, in this case. Iterating the process once more give us 2, 2, 2. Even though we are not pursuing it in this problem, it is possible to determine a polynomial representation of the sequence from the iterated finite differences (here: $x^2 + 2x + 2$).

Task 5 (13 pts). Write a verified function `diffs (a : array int) : array int` that returns a new array of differences between the elements of `a`, starting with $a[1] - a[0]$, $a[2] - a[1]$, etc. Your function should not modify `a` itself, i.e. `a` at the end of the function should be equal to `a` at the beginning. The length of the output array should be one less than the length of the input array.

Task 6 (13 pts). Write a verified function `diffs_in_place (a : array int) : unit` that replaces each element in the array by the difference to the next one, without allocating a new array. The last element can be arbitrary.

[Hint: for working with mutable arrays we found the `alt-ergo` and `Z3` provers to be generally more effective than `CVC4`. Also, the `array.ArrayEq` standard library may be helpful for concise specifications.]

Place your implementations in the file `diff.mlw`.

Note! Be careful to ensure that your contracts cover ALL of the parts of the functions' specifications from the task descriptions.