

10-701: Introduction to Machine Learning

Lecture 17: Q-Learning and Deep RL

Henry Chai

3/20/24

Front Matter

- Announcements
 - Project proposals due on 3/22 (Friday) at 11:59 PM
 - You should submit proposals as a group, not individually: each group only needs to submit a single PDF
 - HW5 released 3/22 (Friday), due 4/1 at 11:59 PM
 - This is a *shorter, written-only HW*; you are expected to be working on your projects concurrently
- Recommended Readings
 - Mitchell, [Chapter 13](#)

Recall: Markov Decision Process (MDP)

- Assume the following model for our data:

1. Start in some initial state s_0
2. For time step t :
 1. Agent observes state s_t
 2. Agent takes action $a_t = \pi(s_t)$
 3. Agent receives reward $r_t \sim p(r | s_t, a_t)$
 4. Agent transitions to state $s_{t+1} \sim p(s' | s_t, a_t)$

3. Total reward is $\sum_{t=0}^{\infty} \gamma^t r_t$

- MDPs make the *Markov assumption*: the reward and next state only depend on the current state and action.

Recall: Value Function

- $V^\pi(s) = \mathbb{E}[\text{discounted total reward of starting in state } s \text{ and executing policy } \pi \text{ forever}]$
 $= \mathbb{E}[R(s_0, \pi(s_0)) + \gamma R(s_1, \pi(s_1)) + \gamma^2 R(s_2, \pi(s_2)) + \dots \mid s_0 = s]$
 $= R(s, \pi(s)) + \gamma \mathbb{E}[R(s_1, \pi(s_1)) + \gamma R(s_2, \pi(s_2)) + \dots \mid s_0 = s]$
 $= R(s, \pi(s)) + \gamma \sum_{s_1 \in \mathcal{S}} p(s_1 \mid s, \pi(s)) (R(s_1, \pi(s_1)) + \gamma \mathbb{E}[R(s_2, \pi(s_2)) + \dots \mid s_1])$

$$V^\pi(s) = R(s, \pi(s)) + \gamma \sum_{s_1 \in \mathcal{S}} p(s_1 \mid s, \pi(s)) V^\pi(s_1)$$

Bellman equations

Recall: Optimality

- Optimal value function:

$$V^*(s) = \max_{a \in \mathcal{A}} R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V^*(s')$$

- System of $|\mathcal{S}|$ equations and $|\mathcal{S}|$ variables

- Optimal policy:

$$\pi^*(s) = \operatorname{argmax}_{a \in \mathcal{A}} R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V^*(s')$$

Immediate
reward

(Discounted)
Future reward

Fixed Point Iteration

- Iterative method for solving a system of equations
- Given some equations and initial values

$$x_1 = f_1(x_1, \dots, x_n)$$

⋮

$$x_n = f_n(x_1, \dots, x_n)$$

$$x_1^{(0)}, \dots, x_n^{(0)}$$

- While not converged, do

$$x_1^{(t+1)} \leftarrow f_1(x_1^{(t)}, \dots, x_n^{(t)})$$

⋮

$$x_n^{(t+1)} \leftarrow f_n(x_1^{(t)}, \dots, x_n^{(t)})$$

Fixed Point Iteration: Example

$$x_1 = x_1 x_2 + \frac{1}{2}$$

$$x_2 = -\frac{3x_1}{2}$$

$$x_1^{(0)} = x_2^{(0)} = 0$$

$$\hat{x}_1 = \frac{1}{3}, \hat{x}_2 = -\frac{1}{2}$$

t	$x_1^{(t)}$	$x_2^{(t)}$
0	0	0
1	0.5	0
2	0.5	-0.75
3	0.125	-0.75
4	0.4063	-0.1875
5	0.4238	-0.6094
6	0.2417	-0.6357
7	0.3463	-0.3626
8	0.3744	-0.5195
9	0.3055	-0.5616
10	0.3284	-0.4582
11	0.3495	-0.4926
12	0.3278	-0.5243
13	0.3281	-0.4917
14	0.3386	-0.4922
15	0.3333	-0.5080

Value Iteration

- Inputs: $R(s, a), p(s' | s, a)$
- Initialize $V^{(0)}(s) = 0 \forall s \in \mathcal{S}$ (or randomly) and set $t = 0$
- While not converged, do:

- For $s \in \mathcal{S}$

$$V^{(t+1)}(s) \leftarrow \max_{a \in \mathcal{A}} R(s, a) + \underbrace{\gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V^{(t)}(s')}_{Q(s, a)}$$

- $t = t + 1$

- For $s \in \mathcal{S}$

$$\pi^*(s) \leftarrow \operatorname{argmax}_{a \in \mathcal{A}} R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V^{(t)}(s')$$

- Return π^*

Synchronous Value Iteration

- Inputs: $R(s, a), p(s' | s, a)$
- Initialize $V^{(0)}(s) = 0 \forall s \in \mathcal{S}$ (or randomly) and set $t = 0$
- While not converged, do:

- For $s \in \mathcal{S}$

- For $a \in \mathcal{A}$

$$Q(s, a) = R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V^{(t)}(s')$$

- $V^{(t+1)}(s) \leftarrow \max_{a \in \mathcal{A}} Q(s, a)$

- $t = t + 1$

- For $s \in \mathcal{S}$

$$\pi^*(s) \leftarrow \operatorname{argmax}_{a \in \mathcal{A}} R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V^{(t)}(s')$$

- Return π^*

Asynchronous Value Iteration

- Inputs: $R(s, a), p(s' | s, a)$
- Initialize $V^{(0)}(s) = 0 \forall s \in \mathcal{S}$ (or randomly)
- While not converged, do:

- For $s \in \mathcal{S}$

- For $a \in \mathcal{A}$

$$Q(s, a) = R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V(s')$$

- $V(s) \leftarrow \max_{a \in \mathcal{A}} Q(s, a)$

- For $s \in \mathcal{S}$

$$\pi^*(s) \leftarrow \operatorname{argmax}_{a \in \mathcal{A}} R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V(s')$$

- Return π^*

Value Iteration Theory

- **Theorem 1:** Value function convergence

V will converge to V^* if each state is “visited”
infinitely often (Bertsekas, 1989)

- **Theorem 2:** Convergence criterion

$$\text{if } \max_{s \in \mathcal{S}} |V^{(t+1)}(s) - V^{(t)}(s)| < \epsilon,$$

then $\max_{s \in \mathcal{S}} |V^{(t+1)}(s) - V^*(s)| < \frac{2\epsilon\gamma}{1-\gamma}$ (Williams & Baird, 1993)

- **Theorem 3:** Policy convergence

The “greedy” policy, $\pi(s) = \operatorname{argmax}_{a \in \mathcal{A}} Q(s, a)$, converges to the optimal π^* in a finite number of iterations, often before the value function has converged! (Bertsekas, 1987)

Policy Iteration

- Inputs: $R(s, a)$, $p(s' | s, a)$
- Initialize π randomly
- While not converged, do:
 - Solve the Bellman equations defined by policy π

$$V^\pi(s) = R(s, \pi(s)) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, \pi(s)) V^\pi(s')$$

- Update π

$$\pi(s) \leftarrow \operatorname{argmax}_{a \in \mathcal{A}} R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V^\pi(s')$$

- Return π

Policy Iteration Theory

- In policy iteration, the policy improves in each iteration.
- Given finite state and action spaces, there are finitely many possible policies
 - Thus, the number of iterations needed to converge is bounded!
- Value iteration takes $O(|\mathcal{S}|^2|\mathcal{A}|)$ time / iteration
- Policy iteration takes $O(|\mathcal{S}|^2|\mathcal{A}| + |\mathcal{S}|^3)$ time / iteration
 - However, empirically policy iteration requires fewer iterations to converge

Key Takeaways

- In reinforcement learning, we assume our data comes from a Markov decision process
- The goal is to compute an optimal policy or function that maps states to actions
- Value function can be defined in terms of values of all other states; this is called the Bellman equations
- If the reward and transition functions are known, we can solve for the optimal policy (and value function) using value or policy iteration
 - Both algorithms are instances of fixed point iteration and are guaranteed to converge (under some assumptions)

Two big Q's

1. What can we do if the reward and/or transition functions/distributions are unknown?
2. How can we handle infinite (or just very large) state/action spaces?

Value Iteration

- Inputs: $R(s, a)$, $p(s' | s, a)$, γ
- Initialize $V^{(0)}(s) = 0 \forall s \in \mathcal{S}$ (or randomly) and set $t = 0$
- While not converged, do:

- For $s \in \mathcal{S}$
 - For $a \in \mathcal{A}$

$$Q(s, a) = R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V(s')$$

- $V(s) \leftarrow \max_{a \in \mathcal{A}} Q(s, a)$

- For $s \in \mathcal{S}$

$$\pi^*(s) \leftarrow \operatorname{argmax}_{a \in \mathcal{A}} R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V(s')$$

- Return π^*

$Q^*(s, a)$ w/
deterministic
rewards

- $Q^*(s, a) = \mathbb{E}[\text{total discounted reward of taking action } a \text{ in state } s, \text{ assuming all future actions are optimal}]$

$$= R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) V^*(s')$$

$$V^*(s') = \max_{a' \in \mathcal{A}} Q^*(s', a')$$

$$Q^*(s, a) = R(s, a) + \gamma \sum_{s' \in \mathcal{S}} p(s' | s, a) \left[\max_{a' \in \mathcal{A}} Q^*(s', a') \right]$$

$$\pi^*(s) = \operatorname{argmax}_{a \in \mathcal{A}} Q^*(s, a)$$

- Insight: if we know Q^* , we can compute an optimal policy π^* !

$Q^*(s, a)$ w/
deterministic
rewards and
transitions

- $Q^*(s, a) = \mathbb{E}[\text{total discounted reward of taking action } a \text{ in state } s, \text{ assuming all future actions are optimal}]$

$$= R(s, a) + \gamma V^*(\delta(s, a))$$

- $V^*(\delta(s, a)) = \max_{a' \in \mathcal{A}} Q^*(\delta(s, a), a')$

$$Q^*(s, a) = R(s, a) + \gamma \max_{a' \in \mathcal{A}} Q^*(\delta(s, a), a')$$

$$\pi^*(s) = \operatorname{argmax}_{a \in \mathcal{A}} Q^*(s, a)$$

- Insight: if we know Q^* , we can compute an optimal policy π^* !

Learning $Q^*(s, a)$ w/ deterministic rewards and transitions

Algorithm 1: Online learning (table form)

- Inputs: discount factor γ , an initial state s
- Initialize $Q(s, a) = 0 \forall s \in \mathcal{S}, a \in \mathcal{A}$ (Q is a $|\mathcal{S}| \times |\mathcal{A}|$ array)
- While TRUE, do
 - Take a random action a
 - Receive reward $r = R(s, a)$
 - Update the state: $s \leftarrow s'$ where $s' = \delta(s, a)$
 - Update $Q(s, a)$:

$$Q(s, a) \leftarrow r + \gamma \max_{a'} Q(s', a')$$

Learning $Q^*(s, a)$ w/ deterministic rewards and transitions

Algorithm 2: ϵ -greedy online learning (table form)

- Inputs: discount factor γ , an initial state s , greediness parameter $\epsilon \in [0, 1]$
- Initialize $Q(s, a) = 0 \forall s \in \mathcal{S}, a \in \mathcal{A}$ (Q is a $|\mathcal{S}| \times |\mathcal{A}|$ array)
- While TRUE, do
 - With probability ϵ , take the greedy action
$$a = \operatorname{argmax}_{a' \in \mathcal{A}} Q(s, a')$$
 - Otherwise, with probability $1 - \epsilon$, take a random action a
 - Receive reward $r = R(s, a)$
 - Update the state: $s \leftarrow s'$ where $s' = \delta(s, a)$
 - Update $Q(s, a)$:
$$Q(s, a) \leftarrow r + \gamma \max_{a'} Q(s', a')$$

Learning $Q^*(s, a)$ w/ deterministic rewards

Algorithm 3: ϵ -greedy online learning (table form)

- Inputs: discount factor γ , an initial state s , greediness parameter $\epsilon \in [0, 1]$, learning rate $\alpha \in [0, 1]$ (“trust parameter”)
- Initialize $Q(s, a) = 0 \forall s \in \mathcal{S}, a \in \mathcal{A}$ (Q is a $|\mathcal{S}| \times |\mathcal{A}|$ array)
- While TRUE, do
 - With probability ϵ , take the greedy action
$$a = \operatorname{argmax}_{a' \in \mathcal{A}} Q(s, a')$$
 - Otherwise, with probability $1 - \epsilon$, take a random action a
 - Receive reward $r = R(s, a)$
 - Update the state: $s \leftarrow s'$ where $s' \sim p(s' | s, a)$
 - Update $Q(s, a)$:

$$Q(s, a) \leftarrow (1 - \alpha) \underbrace{Q(s, a)}_{\text{Current value}} + \alpha \underbrace{\left(r + \gamma \max_{a'} Q(s', a') \right)}_{\text{Update w/ deterministic transitions}}$$



Learning $Q^*(s, a)$ w/ deterministic rewards

Algorithm 3: ϵ -greedy online learning (table form)


- Inputs: discount factor γ , an initial state s , greediness parameter $\epsilon \in [0, 1]$, learning rate $\alpha \in [0, 1]$ (“trust parameter”)
- Initialize $Q(s, a) = 0 \forall s \in \mathcal{S}, a \in \mathcal{A}$ (Q is a $|\mathcal{S}| \times |\mathcal{A}|$ array)
- While TRUE, do
 - With probability ϵ , take the greedy action
$$a = \operatorname{argmax}_{a' \in \mathcal{A}} Q(s, a')$$
Otherwise, with probability $1 - \epsilon$, take a random action a
 - Receive reward $r = R(s, a)$
 - Update the state: $s \leftarrow s'$ where $s' \sim p(s' | s, a)$
 - Update $Q(s, a)$: Temporal difference

$$Q(s, a) \leftarrow \underbrace{Q(s, a)}_{\text{Current value}} + \alpha \left(\underbrace{r + \gamma \max_{a'} Q(s', a')}_{\text{Temporal difference target}} - Q(s, a) \right)$$

Learning $Q^*(s, a)$: Example




Learning $Q^*(s, a)$: Example



$Q(s, a)$	\rightarrow	\leftarrow	\uparrow	\curvearrowright
0	0	0	0	0
1	0	0	0	0
2	0	0	0	0
3	0	0	0	0
4	0	0	0	0
5	0	0	0	0
6	0	0	0	0


Learning $Q^*(s, a)$: Example



$$Q(3, \rightarrow) \leftarrow 0 + (0.9) \max_{a' \in \{\rightarrow, \leftarrow, \uparrow, \cup\}} Q(4, a') = 0$$


$Q(s, a)$	\rightarrow	\leftarrow	\uparrow	\cup
0	0	0	0	0
1	0	0	0	0
2	0	0	0	0
3	0	0	0	0
4	0	0	0	0
5	0	0	0	0
6	0	0	0	0

Learning $Q^*(s, a)$: Example



$Q(s, a)$	\rightarrow	\leftarrow	\uparrow	\updownarrow
0	0	0	0	0
1	0	0	0	0
2	0	0	0	0
3	0	0	0	0
4	0	0	0	0
5	0	0	0	0
6	0	0	0	0


Learning $Q^*(s, a)$: Example



$$Q(4, \uparrow) \leftarrow 3 + (0.9) \max_{a' \in \{\rightarrow, \leftarrow, \uparrow, \cup\}} Q(5, a') = 3$$

$Q(s, a)$	\rightarrow	\leftarrow	\uparrow	\cup
0	0	0	0	0
1	0	0	0	0
2	0	0	0	0
3	0	0	0	0
4	0	0	0	0
5	0	0	0	0
6	0	0	0	0


Learning $Q^*(s, a)$: Example



$$Q(3, \rightarrow) \leftarrow 0 + (0.9) \max_{a' \in \{\rightarrow, \leftarrow, \uparrow, \cup\}} Q(4, a') = 2.7$$

$Q(s, a)$	\rightarrow	\leftarrow	\uparrow	\cup
0	0	0	0	0
1	0	0	0	0
2	0	0	0	0
3	0	0	0	0
4	0	0	3	0
5	0	0	0	0
6	0	0	0	0

Learning $Q^*(s, a)$: Example



$$Q(3, \rightarrow) \leftarrow 0 + (0.9) \max_{a' \in \{\rightarrow, \leftarrow, \uparrow, \cup\}} Q(4, a') = 2.7$$

$Q(s, a)$	\rightarrow	\leftarrow	\uparrow	\cup
0	0	0	0	0
1	0	0	0	0
2	0	0	0	0
3	2.7	0	0	0
4	0	0	3	0
5	0	0	0	0
6	0	0	0	0

Learning $Q^*(s, a)$: Convergence

- For Algorithms 1 & 2 (deterministic transitions),
 Q converges to Q^* if
 1. Every valid state-action pair is visited infinitely often
 - Q-learning is exploration-insensitive: any visitation strategy that satisfies this property will work!
 2. $0 \leq \gamma < 1$
 3. $\exists \beta$ s.t. $|R(s, a)| < \beta \forall s \in \mathcal{S}, a \in \mathcal{A}$
 4. Initial Q values are finite


Learning $Q^*(s, a)$: Convergence

- For Algorithm 3 (temporal difference learning), Q converges to Q^* if
 1. Every valid state-action pair is visited infinitely often
 - Q-learning is exploration-insensitive: any visitation strategy that satisfies this property will work!
 2. $0 \leq \gamma < 1$
 3. $\exists \beta$ s.t. $|R(s, a)| < \beta \forall s \in \mathcal{S}, a \in \mathcal{A}$
 4. Initial Q values are finite
 5. Learning rate α_t follows some “schedule” s.t.
 $\sum_{t=0}^{\infty} \alpha_t = \infty$ and $\sum_{t=0}^{\infty} \alpha_t^2 < \infty$ e.g., $\alpha_t = 1/t+1$

Two big Q's

1. What can we do if the reward and/or transition functions/distributions are unknown?
 - Use online learning to gather data and learn $Q^*(s, a)$
2. How can we handle infinite (or just very large) state/action spaces?


AlphaGo (Black) vs. Lee Sedol (White) Game 2 final position (AlphaGo wins)



Playing Go

- 19-by-19 board
- Players alternate placing black and white stones
- The goal is claim more territory than the opponent
- How many legal Go board states are there?

AlphaGo (Black) vs. Lee Sedol (White) Game 2 final position (AlphaGo wins)



Playing Go

- 19-by-19 board
- Players alternate placing black and white stones
- The goal is claim more territory than the opponent
- There are $\sim 10^{170}$ legal Go board states!

Two big Q's


1. What can we do if the reward and/or transition functions/distributions are unknown?
 - Use online learning to gather data and learn $Q^*(s, a)$
2. How can we handle infinite (or just very large) state/action spaces?
 - Throw a neural network at it!

Deep Q-learning

- Use a parametric function, $Q(s, a; \Theta)$, to approximate $Q^*(s, a)$
 - Learn the parameters using *stochastic* gradient descent (SGD)
 - Training data $(\mathbf{s}_t, a_t, r_t, \mathbf{s}_{t+1})$ gathered online by the agent/learning algorithm

Deep Q-learning: Model

- Represent states using some feature vector $\mathbf{s}_t \in \mathbb{R}^M$
e.g. for Go, $\mathbf{s}_t = [1, 0, -1, \dots, 1]^T$
- Define a *differentiable* function that approximates Q



Deep Q-learning: Loss Function

- “True” loss

$$\ell(\Theta) = \sum_{s \in \mathcal{S}} \sum_{a \in \mathcal{A}} \underbrace{(Q^*(s, a) - Q(s, a; \Theta))^2}_{2. \text{ Don't know } Q^*}$$

1. \mathcal{S} too big to compute this sum

1. Use stochastic gradient descent: just consider one state-action pair in each iteration

2. Use temporal difference learning:

- Given current parameters $\Theta^{(t)}$ the temporal difference target is

$$Q^*(s, a) \approx r + \gamma \max_{a'} Q(s', a'; \Theta^{(t)}) := y$$

- Set the parameters in the next iteration $\Theta^{(t+1)}$ such that $Q(s, a; \Theta^{(t+1)}) \approx y$

$$\ell(\Theta^{(t)}, \Theta^{(t+1)}) = \left(y - Q(s, a; \Theta^{(t+1)}) \right)^2$$

Deep Q-learning

Algorithm 4: Online learning (parametric form)

- Inputs: discount factor γ , an initial state s_0 ,
learning rate α
- Initialize parameters $\Theta^{(0)}$
- For $t = 0, 1, 2, \dots$
 - Gather training sample (s_t, a_t, r_t, s_{t+1})
 - Update $\Theta^{(t)}$ by taking a step opposite the gradient

$$\Theta^{(t+1)} \leftarrow \Theta^{(t)} - \alpha \nabla_{\Theta} \ell(\Theta^{(t)}, \Theta)$$

where

$$\nabla_{\Theta} \ell(\Theta^{(t)}, \Theta) = 2(y - Q(s, a; \Theta)) \nabla_{\Theta} Q(s, a; \Theta)$$

Deep Q-learning: Experience Replay

- SGD assumes i.i.d. training samples but in RL, samples are *highly* correlated
- Idea: keep a “replay memory” $\mathcal{D} = \{e_1, e_2, \dots, e_N\}$ of the N most recent experiences $e_t = (s_t, a_t, r_t, s_{t+1})$ (Lin, 1992)
 - Also keeps the agent from “forgetting” about recent experiences
- Alternate between:
 1. Sampling some e_i uniformly at random from \mathcal{D} and applying a Q-learning update (repeat T times)
 2. Adding a new experience to \mathcal{D}
- Can also sample experiences from \mathcal{D} according to some distribution that prioritizes experiences with high error (Schaul et al., 2016)

Key Takeaways

- We can use (deep) Q-learning when the reward/transition functions are unknown and/or when the state/action spaces are too large to be modelled directly
 - Also guaranteed to converge under certain assumptions
 - Experience replay can help address non-i.i.d. samples