

Depth-limited subgame solving,
and
Pluribus, the state of the art for
multi-player no-limit Texas hold'em

Tuomas Sandholm


CS 15-888

Depth-limited subgame solving


[Brown, Sandholm & Amos, *NeurIPS-18*; Brown & Sandholm, *Science* 2019]



Perfect-information games and single-agent search



Perfect-information games and single-agent search




Value substituted at leaf node is estimate
of both players playing perfectly thereafter

If estimate is perfect, limited-lookahead
search plays an equilibrium strategy


But state values are not well defined in imperfect-information games!

Depth-limited solving

Rock-Paper-Scissors+




Depth-Limited Rock-Paper-Scissors+




Depth-limited solving

Rock-Paper-Scissors+




Depth-Limited Rock-Paper-Scissors+




Depth-limited solving

Rock-Paper-Scissors+




Depth-Limited Rock-Paper-Scissors+




How to tackle this issue?

Depth-limited solving

Rock-Paper-Scissors+




Depth-Limited Rock-Paper-Scissors+




- At leaf nodes, allow player one final action choosing among multiple *policies* for the remaining game
- Step 1: Solve subgame with current set of P_2 leaf-node policies
- Step 2: Calculate a P_2 best response
- Step 3: Add P_2 best response to set of leaf-node policies
- Repeat

Depth-limited solving

Rock-Paper-Scissors+




Depth-Limited Rock-Paper-Scissors+




- At leaf nodes, allow other player(s) one final action choosing among multiple *policies* for the remaining game
- **Step 1: Solve subgame with current set of P_2 leaf-node policies**
- Step 2: Calculate a P_2 best response
- Step 3: Add P_2 best response to set of leaf-node policies
- Repeat

Depth-limited solving

Rock-Paper-Scissors+




Depth-Limited Rock-Paper-Scissors+




- At leaf nodes, allow other player(s) one final action choosing among multiple *policies* for the remaining game
- Step 1: Solve subgame with current set of P_2 leaf-node policies
- **Step 2: Calculate a P_2 best response**
- Step 3: Add P_2 best response to set of leaf-node policies
- Repeat

Depth-limited solving

Rock-Paper-Scissors+




Depth-Limited Rock-Paper-Scissors+




- At leaf nodes, allow other player(s) one final action choosing among multiple *policies* for the remaining game
- Step 1: Solve subgame with current set of P_2 leaf-node policies
- **Step 2: Calculate a P_2 best response**
- Step 3: Add P_2 best response to set of leaf-node policies
- Repeat

Depth-limited solving

Rock-Paper-Scissors+




Depth-Limited Rock-Paper-Scissors+



- At leaf nodes, allow other player(s) one final action choosing among multiple *policies* for the remaining game
- Step 1: Solve subgame with current set of P_2 leaf-node policies
- Step 2: Calculate a P_2 best response
- **Step 3: Add P_2 best response to set of leaf-node policies**
- Repeat

Depth-limited solving



- At leaf nodes, allow other player(s) one final action choosing among multiple *policies* for the remaining game
- **Step 1: Solve subgame with current set of P_2 leaf-node policies**
- Step 2: Calculate a P_2 best response
- Step 3: Add P_2 best response to set of leaf-node policies
- Repeat

Also other ways to generate continuation strategies for the opponent.

Theorem. Converges to Nash equilibrium in 2-player 0-sum games.

In practice, reaches very low exploitability in a small number of iterations.

Can be used with the safe, recursive subgame solving.

Safe depth-limited solving starting later than the root

- In imperfect-information games, “subgames” are not independent
- However, techniques from *Libratus*’s endgame solving can be applied, but now the endgames are midgames that end in continuation strategy choices
 - Have a blueprint strategy for the whole game
 - E.g., via abstraction+equilibrium computation, Deep CFR [Brown, Lerer, Gross & Sandholm, *ICML-19c*], or manual
 - When determining our strategy for an endgame, **give opponent the choice of model**: blueprint or endgame model
[Burch *et al.*, *AAAI-14*; Jackson, *AAAI-14*; Moravcik *et al.*, *AAAI-16*; Brown & Sandholm, *NIPS-17*; Moravcik *et al.*, *Science* 2017; Brown & Sandholm, *Science* 2018]
 - Want to solve for our endgame strategy such that opponent isn’t better off choosing endgame model for any private type she may have => Theorem: safe
 - Allow opponent to get back in the endgame the gifts she has given so far => Theorem: safe [Brown & Sandholm *NIPS-17* Best Paper; *Science* 2018]
- Can apply this recursively
 - Can include the action that the opponent made
 - Can use finer abstraction when endgame starts closer to end of the game
 - Theorem: Safe [Brown & Sandholm, *NIPS-17* Best Paper; *Science* 2018]

Head-to-head performance in 2-player no-limit Texas hold'em

[Brown, Sandholm & Amos, *NeurIPS-18e*]

- **Baby Tartanian8**
[2016 champion]
 - 2 million core hours
 - 18 TB of memory
- **Slumbot**
[2018 champion]
 - 250,000 core hours
 - 2 TB of memory
- **Modicum**
 - 700 core hours
 - 16 GB of memory
 - Plays in real time with a 4-core CPU in 20 seconds per hand

	Baby Tartanian8	Slumbot
Modicum (no real-time reasoning)	-57 ± 13	-11 ± 8
Modicum (just one continuation strategy)	-10 ± 8	-1 ± 15
Modicum (just a few continuation strategies)	6 ± 5	11 ± 9

Unit: milli-big-blinds / game

Key takeaways from this segment

- Planning is important in imperfect-information games, but different
- In real-time planning, you must consider how the opponent can adapt to changes in your strategy
 - Except in perfect-information games and single-agent setting
- States don't have well-defined values in imperfect-info games
- Our depth-limited solving algorithm:
 - Is sound
 - Enabled 2nd-best AI for heads-up no-limit Texas hold'em poker to be developed on a 4-core CPU with 16 GB of RAM

MULTI-PLAYER GAMES

Multi-player games

- All prior superhuman AI game-playing milestones have been in 2-player games:
 - **Checkers:** *Chinook* 1994
 - **Othello:** *Logistello* 1997
 - **Chess:** *Deep Blue* 1997
 - **2-player limit Texas hold'em:** *Polaris* 2008
 - **Go:** *AlphaGo* 2016
 - **2-player no-limit Texas hold'em:** *Libratus* 2017
 - **Starcraft II:** *AlphaStar* 2019 and **DOTA 2:** *OpenAI Five* 2019 (if they are superhuman)
- Our research led to techniques that enabled us to develop a superhuman AI for **multi-player** no-limit Texas hold'em ...


Multi-player poker

- Recognized AI, game theory, and OR milestone that has been open for decades
- Most popular variant in the world: 6-player no-limit Texas hold'em
- We developed a superhuman AI, *Pluribus*, for this game [Brown & Sandholm, *Science* 2019]
 - Science Breakthrough of the Year runner-up, 2019



2-player 0-sum vs. multi-player games

- All prior superhuman AI game milestones have been in 2-player 0-sum games
- Multi-player games have additional issues (even in normal form):
 - Playing a Nash equilibrium is not safe



- Finding even an approximate Nash equilibrium is hard
 - In theory [Daskalakis *et al.* 2009; Chen *et al.* 2009; Rubinstein 2018]
 - In practice, fastest complete algorithm only scales to 3-5 players and 3-5 strategies per player [Berg & Sandholm, AAAI-17]
- *Pluribus* finds superhuman strategies with a novel set of algorithms
 - No guarantee that the solution is a Nash equilibrium (beyond 2-player 0-sum games)

How does *Pluribus* work?

- Developed and runs on a single server, no GPUs
- Doesn't use any data
- Doesn't adapt to the opponent
- Offline blueprint computation and real-time depth-limited search

Pluribus

Rules of the game



Abstraction generation

- **Information abstraction algorithm** [Brown, Ganzfried & Sandholm, AAMAS-15]
- **Action abstraction**



Coarse abstraction
of the game



Finer abstraction
of the game

**Blueprint
computation
(offline)**

Blueprint strategy profile



**Computing
strategy for
depth-limited
subgame**

Action



Pluribus

Rules of the game



Abstraction generation

- **Information abstraction algorithm** [Brown, Ganzfried & Sandholm, AAMAS-15]
- **Action abstraction**



Coarse abstraction
of the game



Finer abstraction
of the game

**Blueprint
computation
(offline)**

Blueprint strategy profile



**Computing
strategy for
depth-limited
subgame**

Action



Pluribus's new form of depth-limited search for imperfect-information games

- All players (not just opponents) pick from k continuation strategies at leaves
- Search starts before current situation (beginning of current betting round)
 - Mitigates exploitability of unsafe search while keeping its advantages
 - Our player's strategy is kept fixed for the moves already taken
 - As in *Libratus*, opponents' actual actions are added to subgame model before the subgame is solved
=> no need to reverse map actions

Pluribus

Rules of the game



Abstraction generation

- **Information abstraction algorithm** [Brown, Ganzfried & Sandholm, AAMAS-15]
- **Action abstraction**



Coarse abstraction
of the game



Finer abstraction
of the game

**Blueprint
computation
(offline)**

Blueprint strategy profile



**Computing
strategy for
depth-limited
subgame**

Action



Pluribus

Rules of the game



Abstraction generation

- **Information abstraction algorithm** [Brown, Ganzfried & Sandholm, AAMAS-15]
- **Action abstraction**



Coarse abstraction
of the game



Finer abstraction
of the game

**Blueprint
computation
(offline)**

Blueprint strategy profile



**Computing
strategy for
depth-limited
subgame**

Action



Pluribus's new equilibrium-finding algorithm

- Used for blueprint computation and for solving depth-limited subgames
- Significant improvement over MCCFR [Lanctot *et al.*, *NeurIPS-09*]
- Uses fastest sampling-based equilibrium-finding algorithm for zero-sum games: **linear CFR** [Brown & Sandholm, *AAAI-19 Distinguished Paper Honorable Mention*]
 - *Pluribus* uses linear weighting for both regrets and for averaging the strategies
 - => “Linear MCCFR”
- New form of dynamic pruning in early part of the run
 - Not in last two steps of the game
- Saving memory: sequences allocated in RAM only if encountered

At play time, *Pluribus*:

- Runs on a regular computer using
 - 2 CPUs
 - Less than 128 GB RAM
 - No GPUs
- Plays twice as fast as human pros (20 sec / hand)

Performance against top human pros

- AIVAT [Burch *et al.*, AAAI-18] was used in the evaluation for variance reduction
- **Experiment 1:** 1 human pro, 5 copies of *Pluribus*
 - Independent copies of *Pluribus*; didn't know even seat of others
 - Each of Chris Ferguson and Darren Elias played 5,000 hands (also, monetary incentive to play as well as they can)
 - *Pluribus* beat each opponent with statistical significance
 - In a later identical experiment, *Pluribus* also beat Linus Loeliger
- **Experiment 2:** 5 human pros, 1 *Pluribus*
 - 10,000 hands
 - For each 6-player session, 5 humans were selected based on availability from 13 human pros
 - Each had won over \$1M playing poker, many had won over \$10M
 - Linus Loeliger, Jimmy Chou, Seth Davies, Michael Gagliano, Anthony Gregg, Dong Kim, Jason Les, Daniel McAulay, Nick Petrangelo, Sean Ruane, Trevor Savage, Jake Toole
 - \$50,000 divided among human pros to incentivize them to play as well as they can
 - *Pluribus* won with statistical significance ($p=0.028$)

Improvement of *Pluribus* with training time

- 64-core server, 512 GB RAM, no GPUs
- ~\$150 at cloud prices

