

Computational Analysis of Affect and Emotion in Language

Saif M Mohammad

National Research Council Canada
saif.mohammad@nrc-cnrc.gc.ca

Cecilia Ovesdotter Alm

Rochester Institute of Technology, USA
coagla@rit.edu

1 Tutorial Overview and Relevance to the ACL Community

Computational linguistics has witnessed a surge of interest in approaches to emotion and affect analysis, tackling problems that extend beyond sentiment analysis in depth and complexity. This area involves basic emotions (such as joy, sadness, and fear) as well as any of the hundreds of other emotions humans are capable of (such as optimism, frustration, and guilt), expanding into affective conditions, experiences, and activities. Leveraging linguistic data for computational affect and emotion inference enables opportunities to address a range of affect-related tasks, problems, and non-invasive applications that capture aspects essential to the human condition and individuals' cognitive processes. These efforts enable and facilitate human-centered computing experiences, as demonstrated by applications across clinical, socio-political, artistic, educational, and commercial domains. Efforts to computationally detect, characterize, and generate emotions or affect-related phenomena respond equally to technological needs for personalized, micro-level analytics and broad-coverage, macro-level inference, and they have involved both small and massive amounts of data.

While this is an exciting area with numerous opportunities for members of the ACL community, a major obstacle is its intersection with other investigatory traditions, necessitating knowledge transfer. This tutorial comprehensively integrates relevant concepts and frameworks from linguistics, cognitive science, affective computing, and computational linguistics in order to equip researchers and practitioners with the adequate background and knowledge to work effectively on problems and tasks either directly involving, or benefiting from having an understanding of, affect and emotion analysis.

There is a substantial body of work in traditional sentiment analysis focusing on positive and negative sentiment. This tutorial covers approaches and features that migrate well to affect analysis. We also discuss key differences from sentiment analysis, and their implications for analyzing affect and emotion.

The tutorial begins with an introduction that highlights opportunities, key terminology, and interesting tasks and challenges (1). The body of the tutorial covers characteristics of emotive language use with emphasis on relevance for computational analysis (2); linguistic data—from conceptual analysis frameworks via useful existing resources to important annotation topics (3); computational approaches for lexical semantic emotion analysis (4); computational approaches for emotion and affect analysis in text (5); visualization methods (6); and a survey of application areas with affect-related problems (7). The tutorial concludes with an outline of future directions and a discussion with participants about the areas relevant to their respective tasks of interest (8). A more detailed outline of the tutorial structure is presented in the next section.

Besides attending the tutorial, tutorial participants receive electronic copies of tutorial slides, a complete reference list, as well as a categorized annotated bibliography that concentrates on seminal works, recent important publications, and other products and resources for researchers and developers.

2 Tutorial Structure

1. Introduction

- Opportunities for language as a cognitive sensor of affect and emotion
- Concepts: affect, emotion, mood, personality, and other key terminology
- Important NLP tasks and problems in-

volving affect and emotion analysis

- Challenges to automatic affect detection, characterization, and generation

2. Emotive Language Use

- How language users communicate affect and emotion across modalities in text, speech, signed, and multimodal data
- Links to socio-linguistic attributes of language users
- Implications for and translation into features for computational analysis

3. Linguistic Data

- Alternatives for conceptual computational modeling of affect in language, including lessons learned from theoretical frameworks in cognitive science
- Issues and solutions for linguistic annotation of affect and emotion
- Useful linguistic datasets and lexical resources for computational analysis—from social media to domain-specific corpora

4. Computational Modeling: Part 1

- Capturing emotion at the level of lexical semantics vs. textual units
- Term emotion associations with automatically generated term-emotion lexicons, including for hundreds of emotions and in social media texts

5. Computational Modeling: Part 2

- Statistical models of textual emotion detection and characterization
- Detecting personality from essays, tweets, and Facebook posts
- Where are we now? Current performance and feature experimentation results

6. Visualizing Computational Outcomes

- Common visualization techniques
- Tracking emotions in large text corpora
- Visualizations that allow comparison and contrast with relevant baselines

7. Survey of Applications

- Political science: Social media analysis in electoral processes
- Creative and fine arts: Literary analysis and music generation
- Clinical: Mental health, cognitive health, and medical decision-making
- Business and education: Leveraging personalized/macro-level affect sensing

8. Future directions and wrap-up

- Emotions analysis for processing figurative language and metaphor
- Understanding relationships between emotions
- Enhancing evaluation procedures
- Effective integration of NLP into multimodal affect analysis
- Present and future tasks: What can emotion analysis do for your task? (Opening up discussion with tutorial participants which can then be continued during/after the conference)

3 Tutorial Instructors

Saif M Mohammad (Ph.D., Computer Science)
Senior Research Officer, National Research Council Canada

Statement of research interests: Saif Mohammad has research interests in computational linguistics and natural language processing, especially lexical semantics and affect analysis. He develops computational models for sentiment analysis, emotion detection, semantic distance, and lexical-semantic relations such as word-pair antonymy. His team has developed a sentiment analysis system which ranked first in SemEval shared tasks on the sentiment analysis of tweets and on aspect-based sentiment analysis. His word-emotion association resource, the NRC Emotion Lexicon, is widely used for text analysis and information visualization. His recent work on generating music from emotions in text garnered widespread media attention, including articles in Time, LiveScience, io9, The Physics arXiv Blog, PC World, and Popular Science.

Cecilia Ovesdotter Alm (Ph.D., Linguistics)
Assistant Professor, Rochester Institute of Technology

Statement of research interests: Cecilia Ovesdotter Alm is a computational linguist dedicated to advancing the understanding of affective and subjective meaning across linguistic modalities and multimodal data. Her work focuses on linguistic annotation and resource development for affect-related problems, as well as computational modeling involving text and speech, image understanding, and linguistic or multimodal sensing in this area. She has published *Affect in Text and Speech* (2009) as well as articles in proceedings and journals, representing over a decade of related research.

References

- Cecilia Ovesdotter Alm and Xavier Llor. 2006. Evolving emotional prosody. In *Proceedings of INTER-SPEECH 2006 - ICSLP, Ninth International Conference on Spoken Language Processing*, pages 1826–1829, Pittsburgh, PA, USA.
- Cecilia Ovesdotter Alm. 2010. Characteristics of high agreement affect annotation in text. In *Proceedings of the Fourth Linguistic Annotation Workshop, LAW IV '10*, pages 118–122, Stroudsburg, PA, USA.
- Cecilia Ovesdotter Alm. 2011. Subjective natural language problems: Motivations, applications, characterizations, and implications. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies: Short Papers - Volume 2, HLT '11*, pages 107–112, Stroudsburg, PA, USA.
- Cecilia Ovesdotter Alm. 2012. The role of affect in the computational modeling of natural language. *Language and Linguistics Compass*, 6(7):416–430.
- Jerome Bellegarda. 2010. Emotion analysis using latent affective folding and embedding. In *Proceedings of the NAACL-HLT 2010 Workshop on Computational Approaches to Analysis and Generation of Emotion in Text*, Los Angeles, California.
- Johan Bollen, Alberto Pepe, and Huina Mao. 2009. Modeling public mood and emotion: Twitter sentiment and socio-economic phenomena. *CoRR*.
- Anthony C. Boucouvalas. 2002. Real time text-to-emotion engine for expressive internet communication. *Emerging Communication: Studies on New Technologies and Practices in Communication*, 5:305–318.
- Joseph Bullard, Cecilia Ovesdotter Alm, Qi Yu, Pengcheng Shi, and Anne Haake. 2014. Towards multimodal modeling of physicians’ diagnostic confidence and self-awareness using medical narratives. In *Proceedings of COLING 2014, the 25th International Conference on Computational Linguistics: Technical Papers*, pages 1718–1727. Dublin City University and Association for Computational Linguistics.
- Rafael A. Calvo and Sidney D’Mello. 2010. Affect detection: An interdisciplinary review of models, methods, and their applications. *IEEE Transactions on Affective Computing*, 1(1):18–37, Jan.
- Paul Ekman. 1992. An argument for basic emotions. *Cognition and Emotion*, 6(3):169–200.
- Clark Elliott. 1992. *The affective reasoner: A process model of emotions in a multi-agent system*. Ph.D. thesis, Institute for the Learning Sciences, Northwestern University.
- Michel Genereux and Roger P. Evans. 2006. Distinguishing affective states in weblogs. In *AAAI-2006 Spring Symposium on Computational Approaches to Analysing Weblogs*, pages 27–29, Stanford, California.
- Lars E. Holzman and William M. Pottenger. 2003. Classification of emotions in internet chat: An application of machine learning using speech phonemes. Technical report, Leigh University.
- Christopher Homan, Ravdeep Johar, Tong Liu, Megan Lytle, Vincent Silenzio, and Cecilia Ovesdotter Alm. 2014. Toward macro-insights for suicide prevention: Analyzing fine-grained distress at scale. In *Proceedings of the Workshop on Computational Linguistics and Clinical Psychology: From Linguistic Signal to Clinical Reality*, pages 107–117, Baltimore, Maryland, USA, June. Association for Computational Linguistics.
- David John, Anthony C. Boucouvalas, and Zhe Xu. 2006. Representing emotional momentum within expressive internet communication. In *Proceedings of the 24th IASTED international conference on Internet and multimedia systems and applications*, pages 183–188, Anaheim, CA. ACTA Press.
- Elsa Kim, Sam Gilbert, Michael J. Edwards, and Erhardt Graeff. 2009. Detecting sadness in 140 characters: Sentiment analysis of mourning Michael Jackson on twitter.
- Svetlana Kiritchenko, Xiaodan Zhu, and Saif M Mohammad. 2014. Sentiment analysis of short informal texts. *Journal of Artificial Intelligence Research (JAIR)*, 50:723–762.
- Chunling Ma, Helmut Prendinger, and Mitsuru Ishizuka. 2005. Emotion estimation and reasoning based on affective textual interaction. In J. Tao and Rosalind W. Picard, editors, *First International Conference on Affective Computing and Intelligent Interaction (ACII-2005)*, pages 622–628, Beijing, China.
- Rada Mihalcea and Hugo Liu. 2006. A corpus-based approach to finding happiness. In *AAAI-2006 Spring Symposium on Computational Approaches to Analysing Weblogs*, pages 139–144. AAAI Press.
- Saif M Mohammad and Svetlana Kiritchenko. 2014. Using hashtags to capture fine emotion categories from tweets. *Computational Intelligence*.
- Saif Mohammad. 2012a. Portable features for classifying emotional text. In *Proceedings of the 2012 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 587–591, Montréal, Canada, June.

- Saif M. Mohammad. 2012b. #emotional tweets. In *Proceedings of the First Joint Conference on Lexical and Computational Semantics - Volume 1: Proceedings of the main conference and the shared task, and Volume 2: Proceedings of the Sixth International Workshop on Semantic Evaluation, SemEval '12*, pages 246–255, Stroudsburg, PA. Association for Computational Linguistics.
- Saif M Mohammad. 2012c. From once upon a time to happily ever after: Tracking emotions in mail and books. *Decision Support Systems*, 53(4):730–741.
- Alena Neviarouskaya, Helmut Prendinger, and Mitsuru Ishizuka. 2009. Compositionality principle in recognition of fine-grained emotions from text. In *Proceedings of the Proceedings of the Third International Conference on Weblogs and Social Media (ICWSM-09)*, pages 278–281, San Jose, California.
- Rosalind W. Picard. 1997, 2000. *Affective computing*. MIT press.
- Robert Plutchik. 1962. *The Emotions*. New York: Random House.
- Ryoko Tokuhisa, Kentaro Inui, and Yuji Matsumoto. 2008. Emotion classification using massive examples extracted from the web. In *Proceedings of the 22nd International Conference on Computational Linguistics - Volume 1, COLING '08*, pages 881–888, Stroudsburg, PA, USA.
- Andranik Tumasjan, Timm O Sprenger, Philipp G Sandner, and Isabell M Welp. 2010. Predicting elections with Twitter : What 140 characters reveal about political sentiment. *Word Journal Of The International Linguistic Association*, pages 178–185.
- Wenbo Wang, Lu Chen, Krishnaprasad Thirunarayan, and Amit P. Sheth. 2012. Harnessing twitter "big data" for automatic emotion identification. In *Proceedings of the 2012 ASE/IEEE International Conference on Social Computing and 2012 ASE/IEEE International Conference on Privacy, Security, Risk and Trust, SOCIALCOM-PASSAT '12*, pages 587–592, Washington, DC, USA. IEEE Computer Society.
- Xu Zhe and A Boucouvalas, 2002. *Text-to-Emotion Engine for Real Time Internet Communication* *Text-to-Emotion Engine for Real Time Internet Communication*, pages 164–168.